



BOSCH

GLOBAL TOOLS Catalogue-2025



Scan to view the
Live Catalogue



Edition: March 2025


JOIN **BE**CONNECTED TO GET FREE WARRANTY EXTENSION!

-  Extended Warranty
-  Genuine Tool Check
-  Service Center Locator
-  Product Information
-  Promotional Offer

 **BeConnected**



**SCAN ME
TO REGISTER**




*Few tools are without BeConnected feature.




BeConnected is a simple way for users to stay connected through product registration.


Avail the best-in-class Bosch products with all the exciting benefits such as Paperless Warranty, Warranty Extension, Reward Points*, Cashback*, Product Information and Seamless After Sales Service.




Scan the QR code on the label of your Power Tool




Register on BeConnected and get Benefitted




Receive E-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons/cashback*



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Warranty Certificate

Quality products with certified assurances

Promotions/Coupons

Win exciting rewards and prizes

Communication/Bosch Power Tools

Stay up-to-date with the latest from Bosch Power Tools

Product Info (Video)

Valuable demos and tutorials on the product

Where to Buy/Service

Locate the nearest Bosch Dealer / Authorized service center to you is always relative

Fleet Management

Manage your entire portfolio of products

Ratings & Reviews

Share your valuable experience with us and your peers



DOWNLOAD APP

* T&C Apply, periodic promotions, Few tools are without BeConnected feature.



**NOW ALL
BOSCH PROFESSIONAL
TOOLS COME WITH
1 YEAR WARRANTY**



For more details, visit
www.bosch-pt.co.in or
the BeConnected app



BeConnected

EXPERT CARE WITH ONLINE REPAIR



Free Collection & Delivery Pan India* for warranty users



Affordable Repairs, Real Savings



Quick, Professional Repair



Repair & Return in 3-5 Days*



24x7 Repair Booking



Digital Payment Available

SCAN FOR WEBSITE AND ORDER FORM




LET US TAKE CARE OF YOUR TOOL

Power Tools Service at its best!



Genuine, Affordable, Available Spare parts



*Terms and Conditions Apply



SUSTAINABILITY



“Companies shouldn't have to choose between being profitable and doing what's best for the planet. If the right path is chosen, both aims go hand in hand.”

_____ Dr. Stefan Hartung, Chairman of the Board of Management

Sustainability Strategy at Bosch Power Tools



TARGET VISION

By acting in an economically, environmentally, and socially responsible manner, we want to improve people’s quality of life and safeguard the livelihoods of present and future generations.

Our “**New Dimensions – Sustainability 2025**” target vision describes six fundamental dimensions, each of which is specified and further developed based on the following major aspects.

Climate action

- 1 | Reducing CO₂ emissions
- 2 | Energy efficiency and renewable energies

Bosch is a climate action pioneer, advances the expansion of renewables, and strives continuously for energy efficiency.

Health

- 1 | Occupational health and safety
- 2 | Substances of concern

Bosch contributes to human health – with innovative products and services and by ensuring that people and the environment do not come to harm through its production processes.

Human rights

- 1 | Responsibility
- 2 | Transparency

Bosch takes on responsibility and is sensitive to human rights being respected – along the entire value chain.



Water

- 1 | Water scarcity
- 2 | Water quality

For Bosch, water is a resource to be treated sparingly. Regions in which water is scarce are a special concern.

Circular economy

- 1 | Materials efficiency
- 2 | Second life

Bosch is reducing its ecological footprint and striving to create social benefit. In this endeavor, Bosch takes its lead from the circular economy principle.

Diversity

- 1 | Equity
- 2 | Inclusion

For Bosch, diversity, equity, and inclusion are key to long-term success in business. In addition, Bosch contributes to the common good in the communities near its locations.

PRODUCT FEATURES



HEAVY DUTY

Power, performance and robustness redefined



TOOLLESS

No additional tools are required for configuring the tool, allowing for user-friendly operation



CONNECTED

Get connected – personalise your tool and exchange information with your App



BITURBO BRUSHLESS

Tools powered by new high performance motor and ProCore 18V battery



REDUCED GRIP SIZE

Outstanding small grip size for best-in-class ergonomics



CONNECTED READY

With a bluetooth module the tool has the possibility to be connected. The module is not part of the tool by default



VARIABLE SPEED

Adjust speed while working with the tool by pushing the trigger with different strength



BRUSHLESS MOTOR

Longer motor life, more runtime and more power



BRAKE SYSTEM

When releasing the switch the angle grinder immediately stops



KICKBACK CONTROL

Reduces the hazard of sudden tool reactions in binding conditions thanks to automatic shut-down of the tool



SPEED SELECTION

Best work results with speed pre-selection for applications requiring material-specific speed



PRECISION CLUTCH

Precision clutch with 25+1 settings – provides driving accuracy for reduced fastener damage



VIBRATION CONTROL

Comfortable working thanks to low vibration by adding rubber mounting/foam padding to the handles



RESTART PROTECTION

Prevents the tool from automatically starting after a power cut



DROP CONTROL

When your power tool fails and hits the floor, it turns off immediately



METAL CHUCK

Full metal keyless chuck



RIGHT/LEFT ROTATION

Forward and reverse rotation for inserting and removing screws



PENDULUM

Saw blade pendulum action-Adjustable 3-stage or 4-stage Saw blade pendulum action



USER INTERFACE

Direct tool feedback and setting adjustments thanks to the integrated user interface and connectivity features



LED LIGHT

Led light for illuminating work area



SIMPLY CONNECTED

Bluetooth® connectivity to Bosch applications to make use of advanced documentation possibilities



ELECTRONIC MOTOR PROTECTION

Motor shuts off when overloaded, overheated or blocked



ENABLES PERMANENT PERFORMANCE

and functions as transportation lock



INTELLIGENT BRAKE SYSTEM

Effective work when high user protection, also works when power failure and ensures that the tool stops significantly faster than without a braking system



CONSTANT SPEED

Best work results with constant speed thanks to electronic regulation of speed - even under load



SOFT START

Soft start as the load and torque of the motor are temporarily reduced during start-up



PROTECTION SWITCH

Outstanding user protection. The protection switch instantly switches the machine off when it is released

PRODUCT FEATURES



ERGONOMIC
Effortless grasping



LONG LIFETIME
of the tool as the tool shuts off in case of an extreme overload situation



SOFT GRIP
Comfortable handling of the tool thanks to softgrip




CURVE RADIUS
20 mm



VIBRATION
2.5 mm



DIRECT COOLING
For high overload capability and a long service life



BIT INSERTION SQUARE, BIT HOLDER, EXTERNAL SQUARE



STROKE LENGTH
28 mm



PROTECTION GUARD
Outstanding user protection thanks to the anti-rotation protective guard - stands firm, even if the disc breaks



FLEXICLICK SYSTEM
Full flexibility - Bosch FlexiClick 5-in-1 System: Masters any challenge - the optimum solution in every work situation



CLICK & CLEAN SYSTEM
Immediate dust extraction for the clear work surface



PYTHAGORAS FUNCTION
Best work results with constant speed thanks to electronic regulation of speed - even under load



GREEN LASER BEAM
For superior visibility indoors. Greater visibility for even faster and easier targeting



BLUETOOTH®
Connectivity to Bosch applications to make use of advanced documentation possibilities



COLOR DISPLAY
and new HMI design w/ better contrast



FLIP DISPLAY
For adjusting for working process and better readability



MEASURING RANGE
From 0.05 to 50 meters



MEASURING ACCURACY
± 1.5 mm



INSTANT VIBRATION FEEDBACK
On successful and failed measurement. Great if the display is out of sight, and on loud construction sites



BIG NUMBERS MODE
For fast and easy readability. Large measurement result, fading out everything else on the display



STAKE OUT FUNCTION
Allows measuring repeatedly a predefined length



INDIRECT MEASUREMENT FUNCTION
Including height, length, and double indirect height



IP 65 WATER AND DUST PROTECTION
Complete protection from dust and protection from water, up to water projected by a nozzle against enclosure from any direction



TILT SENSOR
0° - 360°

PROTECTION



Bosch's Commitment to Safety

As the world's leading power tool manufacturer, Bosch is committed not only to providing the ultimate in innovation, reliability and performance, but also to the safety of all who work with power tools.

The protection of users' health and safety has been a cornerstone of our policy, and a responsibility that we take very seriously. As such, we are continually investing in safety technology, as well as user education.

Bosch products offer protection against a wide range of hazards. To help you work efficiently and safely with power tools, Bosch is continuously inventing technologies that help in making the life of our users easier and safer.



SAFETY BEGINS WITH ME

Bosch recognizes that safety in the worksite is a team effort. While we are committed to making safer tools, users must also commit to safer working practices. When using any power tool, it is of paramount importance that they be handled carefully and responsibly. Most workplace injuries occur due to lack of knowledge, negligence, misuse, and over-confidence. Knowing your tools and best practices is your best protection against injury.





KICKBACK CONTROL

Shuts off grinder when the wheel gets into a bind situation.

- Bosch invented and introduced high end grinders in 2010.
- The most common cause of injury to operators and nearby workers.
- Most sites and/or companies require tools with kickback control.
- Cutting wheel: Twisting or canting the wheel will cause kickback, however kickback control will not engage.
- Cutting wheel: A pinching or impeding the rotation of the wheel engages the kickback control.
- Grinding: Snagging the wheel will not engage the kickback control.
- The wheel must be forcibly stopped in order for the kickback control to activate.



RESTART PROTECTION

Helps prevent accidental tool startup if the supply of power is interrupted.

- Bosch invented and introduced on high end grinders in 2011
- Most sites and/or companies require tools with restart protection.
- For continued operation, the switch must be released, and the tool restarted (slide switch – move to off position and then back on. For paddle, release paddle and reactivate).



SOFT START

Soft start as the load and torque of the motor are temporarily reduced during start-up.



DROP CONTROL

- Helps shut the grinder off after accidentally dropping the tool on the floor.
- When working with grinders, it is possible the grinder may be dropped. A dead man switch grinder will turn the grinder off when dropped, a tool with lock on switch will not turn off.
- Only applies to select grinders with lock-on switches (slide & some paddle).
- Conditions: Drop distance has to be greater than 1 foot, and on a hard surface or hit with a force impact equal to a 1 foot drop.



INTELLIGENT BRAKE SYSTEM

Helps provide a rapid stop of the wheel when the switch is turned off.

- After switching off the grinder, the spinning accessory may grab the surface and pull the tool out of your control.
- Bosch introduced an electromagnetic braking system designed to stop the disc from rotating.



VIBRATION CONTROL

Prolonged or excessive exposure to elevated levels of vibration can result in not only fatigue and reduced productivity, but also in the development of Hand Arm Vibration Syndrome (HAVS), commonly referred to as Vibration White Finger.

Bosch has been addressing the HAVS concern since 2001 by incorporating "Vibration Control" handles into most of their power tools. Through consistent refinement of the technology, Bosch is striving to extend this in to a wider range of power tools.


Vibration control side handle allows for improved user comfort and control.

- Small angle grinder(SAG): Reduces up to 70% of vibration in the side handle.
- Large angle grinder(LAG): Features incorporated into the body of the tool and the side handle to help reduce vibration during grinding.



DUST SOLUTION

A hygienic working environment can enhance efficiency and precision in task execution, besides promoting the longevity of tools and accessories by mitigating dust accumulation. Moreover, a workspace with reduced levels of dust can facilitate greater working speed and minimize health hazards in the long run. To cater to these concerns, Bosch has devised a specialized Dust Extraction System that seamlessly integrates dust extractors and power tools, safeguarding users from hazardous dust emissions resulting from power tool usage.



Dust
Extraction
System

CORDLESS

CORDLESS



SCREWDRIVER

Bosch GO 2.0 Professional



*Product available till stocks last




Technical Specifications

HSN code	84672900
Part no.	06019H21L1
Battery voltage	3.6V
Torque, max. (hard/soft)	5/2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

Scope of supply:
1 Micro USB cable,
PH1 & PH2 screw bit

MRP: ₹5,600



SCREWDRIVER

Bosch GO 2.0 Kit Professional



*Product available till stocks last



Technical Specifications

HSN code	84672900
Part no.	06019H2181
Battery voltage	3.6V
Torque, max. (hard/soft)	5/2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

Scope of supply:
Carrying case, Micro USB cable,
33-piece screwdriver bit set

MRP: ₹6,100



SCREWDRIVER

New! Bosch GO 3.0 Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019H2281
Battery voltage	3.6V
Battery capacity	2.0 Ah
Torque, max. (hard/soft)	5 / 2 Nm
No-load speed	360 rpm
Torque setting	7 settings
Bit Holder	1/4" Hex Uni
Charging port	USB-C
Weight excl. battery	0.32 kg

Scope of supply:
Carrying case, USB C cable
9 Pc Screwdriver Set

MRP: ₹6,800



DRYWALL SCREWDRIVER

GTB 185-LI (Solo) Professional




Technical Specifications

HSN code	84672900
Part no.	06019K70L1
Battery voltage	18V
No-load speed	0-4,500
Soft torque	5.2 Nm
Weight (w/o batt w/2.0Ah batt)	0.95 1.3 kg
Dimension (L/W/H)	261/56/222
Tool Holder	1/4" Hex Uni
Max. screw diameter	6mm

Scope of supply:
1x screwdriver bit PH 2, 1x belt clip, 1x bit holder,
*Battery charger not included

MRP: ₹14,600



ROTARY TOOL

GRO 12V-35 (Solo) Professional

1



Technical Specifications

HSN code	84672900
Part no.	06019C50K1
Battery voltage	12V
No-load speed	5,000/35,000 rpm
Weight	0.62 kg
Dimensions L x W x H	44 x 36 x 11.5 cm

Scope of supply:
5x cutting disc, 32 mm, Arbour, Housing adapter key, Collet, 1/2 L-BOXX inlay for tool cardboard box.

*Battery and charger not included **MRP: ₹8,900**



CORDLESS

DRILL DRIVER

GSR 120-LI Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F0
Battery voltage	12V
No-load speed (1 st /2 nd)	0-400/0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20/10 mm
Chuck size	10 mm
Weight excl. battery	0.8 kg

Scope of supply:
2 x 12V 2.0 Ah LI-ion batteries, 1 Charger, Carry case, Accessory set, 6 Metal drill bit, 4 Wood drill bit, 10 Screw driver bit and 1 Screw driver bit holder

MRP: ₹12,900



DRILL DRIVER

GSR 120 + 1x2.0Ah Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F1
Battery voltage	12V
No-load speed	0-400/0-1,500 rpm
Torque, max. (hard/soft)	30/14 Nm
Max. screw diameter	7 mm
Chuck size	10 mm
Drilling in wood/metal	20/10 mm
Weight incl. battery	0.8 kg

Scope of supply:
1 x 12V 2.0 Ah LI-ion battery, 1 Charger, Carry case

MRP: ₹8,100



DRILL DRIVER

GSR 12V-15 FC Professional



Technical Specifications

HSN code	84672100
Part no.	06019F60F0
Battery voltage	12V
No-load speed (1 st /2 nd)	0-400/0-1,300 rpm
Torque (hard/soft)	30/15 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	19/10 mm
Chuck size	10 mm
Weight excl. battery	0.6 kg

Scope of supply:
Drill chuck adapter GFA 12-B, Off-set angle adapter GFA 12-E, Angle adapter GFA 12-W, Hex adapter, 1 Charger, 2 x 2.0 Ah LI-ion batteries, Carry case

MRP: ₹29,150



DRILL DRIVER

GSR 12V-30 (Solo) Professional




Technical Specifications

HSN code	84672100
Part no.	06019G9082
Battery voltage	12V
No-load speed	0-420/0-1,600 rpm
Torque, max. (hard/soft)	30/18 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	20/10 mm
Weight excl. battery	0.72 kg

Scope of supply:

Cardboard Box,

*Battery and charger not included **MRP: ₹11,250**

DRILL DRIVER

GSR 12V-35 HX (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019J9180
Battery voltage	12V
No-load speed (1st/2nd)	0-460/0-1,750 rpm
Torque (soft/hard)	20/35 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	32/10 mm
Chuck capacity, min./max.	0.8/10 mm
Weight excl. battery	0.57 kg

Scope of supply:

Cardboard Box,

*Battery and charger not included **MRP: ₹12,900**

DRILL DRIVER

GSR 185-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K30F0
Battery voltage	18V
Head length	162 mm
No-load speed	0-500/1,900 rpm
Max. torque (hard/soft)	50/21 Nm
Chuck Size	13 mm
Max. drilling (wood/metal)	35/10 mm
Weight (w/2.0Ah)	1.3 kg
Chuck material	Metal

Scope of supply:

2 x 2.0 Ah LI-ion batteries,
1 Charger, Carry case**MRP: ₹18,250**

DRILL DRIVER

GSR 18V-50 Kit Professional



*Product available till stocks last



Technical Specifications

HSN code	84672100
Part no.	06019H50F0
Battery voltage	18V
No-load speed	0-460/0-1,800 rpm
Torque, max. (hard/soft)	50/28 Nm
Max. drilling (wood/steel)	35/13 mm
Max. screw diameter	10 mm
Chuck material	Metal
Chuck size	13 mm
Weight excl. battery	1 kg

Scope of supply:

Carry case, 1 Charger,
2 x 2.0 Ah LI-ion batteries**MRP: ₹28,300**

DRILL DRIVERS

GSR 18V-50 (Solo) Professional

1


CORDLESS

*Product available till stocks last



Technical Specifications

HSN code	84672100
Part no.	06019H5082
Battery Voltage	18V
No-load speed (1st gear / 2nd gear)	0-460/0-1,800 rpm
Torque (soft/hard/max.)	28/50/50 Nm
Chuck size	13 mm
Max. drilling (alum/wood/metal)	13/35/13 mm
Weight excl. battery	1 kg
Chuck material	Metal
Scope of supply:	
Cardboard box,	
*Battery and charger not included	MRP: ₹15,000



DRILL DRIVER

New! GSR 18V-65 (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019N30F2
Rated Voltage	18V
No-load speed	0-550/ 0-2,100 1/min
Max. torque (hard/soft)	63 / 31 Nm
Chuck capacity	13 mm
Max screw diameter	10 mm
Head length	166 mm
Max drilling diameter wood	35 mm
Scope of supply:	
Carrying case	
*Battery and charger not included	MRP: ₹9,750




IMPACT DRILL DRIVER

GSB 120-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019G81F2
Battery voltage	12V
No-load speed (1st/2nd)	0-400/0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Max. impact rate	22,500 bpm
Max. drilling (wood/ metal/masonry)	20/10/8 mm
Weight with battery	1.1 kg
Scope of supply:	
Carry case, 1 Charger,	
2 x 2.0 Ah Li-Ion batteries, Accessory set:	
4 Wood drill bits, 4 Metal drill bits, 4 Masonry drill bits, 10 Screw driver bits, 1 Screw bit holder	MRP: ₹14,000



IMPACT DRILL DRIVERS

New! GSB 183-LI Kit (2 Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K91F0
Battery voltage	18V
No-load speed (1st)	374-484 rpm
No-load speed (2nd)	1,402-1,815 rpm
Torque (hard/soft/max)	21/56/56 Nm
Max. screw diameter	10 mm
Torque settings	20
Weight incl. battery	1.5 kg
Drilling in masonry/Metal	10 mm
Scope of supply:	
2 x 18V/2.0 Ah Li-ion batteries,	
1 Charger, Carry case.	MRP: ₹16,350



IMPACT DRILL DRIVERS

New! GSB 183-LI Kit (1 Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K91F1
Battery voltage	18V
No-load speed (1st)	374-484 rpm
No-load speed (2nd)	1,402-1,815 rpm
Torque (hard/soft/max)	21/56/56 Nm
Max. screw diameter	10 mm
Torque settings	20
Weight excl. battery	1.2 kg
Drilling in masonry/Metal	10 mm
Scope of supply:	
	1 x 18V/2.0 Ah Li-ion batteries, 1 Charger, Carry case.

MRP: ₹12,250



IMPACT DRILL DRIVERS

GSB 185-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K31F2
Battery voltage	18V
No-load speed (1st/2nd)	0-500/0-1,900 rpm
Weight (w/2.0Ah)	1.3 kg
Max. screw diameter	10 mm
Max. drilling (wood/metal/masonry)	35/10/10 mm
Chuck material	Metal
Chuck size	13 mm
Scope of supply:	
	2 x 2.0 Ah Li-ion batteries, 1 Charger, Carry case, 23-piece drilling and screwdriving bit set with holder

MRP: ₹20,200



IMPACT DRILL DRIVERS

GSB 18V-150 C (Solo) Professional



BITURBO
BRUSHLESS



Technical Specifications

HSN code	84672100
Part no.	06019J51L0
Battery voltage	18V
Torque (soft/hard/max.)	84/100/150 Nm
No-load speed (1st/2nd gear)	0-550/0-2,200 rpm
Max. impact rate	30,000 bpm
Chuck capacity, min./max.	1.5/13 mm
Weight excl. battery	2.2 kg
Max drilling (wood/metal/masonry)	150/16/20 mm
Chuck material	Metal
Scope of supply:	
	Carry case L-BOXX 136, Auxillary Handle
	*Battery and charger not included

MRP: ₹31,850



BITURBO
BRUSHLESS

IMPACT DRILL DRIVER

New! GSB 18V-65 (Solo) Professional

1



Technical Specifications

HSN code	84672100
Part no.	06019N31F2
Torque (soft/hard/max.)	31/65/31 Nm
No-load speed (1st /2nd)	0-550/0-2,100 rpm
Drill chuck, version	13-mm keyless chuck
Torque (max)	31 Nm
Max. impact rate	27,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	1.12 kg
Torque settings	20
Scope of supply:	
Carry case	
Battery & Charger not included.	

MRP: ₹10,200



CORDLESS

IMPACT DRILL DRIVER

New! GSB 18V-65 kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019N31F0
Torque (soft/hard/max.)	31/65/31 Nm
No-load speed (1st /2nd)	0-550/0-2,100 rpm
Drill chuck, version	13-mm keyless chuck
Torque (max)	31 Nm
Max. impact rate	27,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	1.12 kg
Torque settings	20
Scope of supply:	
2 x 2.0 Ah Li-ion batteries,	
GAL18V-40 Charger, 1 Carry case	

MRP: ₹22,350



IMPACT DRIVER

GDR 120-LI Kit Professional




Technical Specifications

HSN code	84672100
Part no.	06019F00F0
Battery voltage	12V
No-load speed (1st/2nd)	0-1,300/0-2,600 rpm
Torque (hard)	100 Nm
Max. screw diameter	8 mm
Rated impact rate	0-1,900/0-3,200 bpm
Bit holder	1/4" hexagon socket
Weight incl. battery	1.1 kg

Scope of supply:
2x 2.0 Ah Li-ion batteries,
1 Charger, 1 Carry case

MRP: ₹17,650



IMPACT DRIVER

GDR 12 V-EC Professional



Technical Specifications

HSN code	84672100
Part no.	06019E00F6
Battery voltage	12V
No-load speed	2,600 rpm
Torque (hard)	110 Nm
Max. screw diameter	M4-M12
Rated impact rate	0-3,100 bpm
Bit holder	1/4" internal hexagon

Scope of supply:
Carry case, 2 x 2.0 Ah LI-ion
batteries, 1 Charger

MRP: ₹29,600



IMPACT DRIVER

GDR 180-LI Professional



*Product available till stocks last



Technical Specifications

HSN code	84672100
Part no.	06019G51F0
Battery voltage	18V
No-load speed	0-2,800 rpm
Impact rate	0-3,600 bpm
Max. torque	160 Nm
Tool holder	1/4" Hex Uni
Screw diameter	M6-M14
Weight excl. battery	1.02 kg
Scope of supply:	2x 2.0 Ah Li-ion batteries, 1 Charger, Carry case
MRP:	₹31,150



IMPACT DRIVER

New! GDR 18V-220 C (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019L60L0
Battery voltage	18V
Torque, max.	220 Nm
No-load speed (3rd level)	0-3,400 rpm
No-load speed	0-800 rpm
Weight incl. battery	1.7 kg
Tool holder	1/4" Hex Uni
Torque settings	3
Impact rate	4,000 bpm
Weight excl. battery	1 kg
Scope of supply:	Battery & Charger not included.
MRP:	₹15,980



IMPACT DRIVER

New! GDR 18V-215 Professional



Technical Specifications

HSN code	84672100
Part no.	06019N20F2
Battery voltage	18V
No-load speed*	0-2,100 rpm
No-load speed (1st level)*	0-2,100 rpm
No-load speed (2nd level)*	0-3,300 rpm
Torque settings	2
Weight excl. battery*	1 kg
Torque, max.*	215 Nm
Weight incl. battery*	1.4 kg
Bit Holder	1/4" Hex
Scope of supply:	2x 2.0 Ah Li-ion batteries, 1 Charger, Carry case
MRP:	₹18,500



IMPACT DRIVER

GDx 18V-200 C Professional



*Product available till stocks last



Technical Specifications

HSN code	84672900
Part no.	06019G42F0
Battery voltage	18V
Torque max.	200 Nm
No-load speed	0-3,400 rpm
Screw Diameter	M6-M16
Tool holder	1/2" Square & 1/4" Hex
Weight excl. battery	1.2 kg
Scope of supply:	Carry case, L-BOXx 136 with 2x 4.0 Ah Li-ion batteries
MRP:	₹41,200



IMPACT DRIVER/WRENCH

New! GDX 18V-285 Professional

1



Technical Specifications

HSN code	84672900
Part no.	06019N21F2
Battery voltage	18 V
Torque, max.	285 Nm
No-load speed	0-2,800 rpm
Weight incl. battery	1.13 kg
Breakaway torque, max.	500 Nm
Impact rate	0-3,600 bpm
Torque settings	2
Weight excl. battery	1.1 kg
Tool holder	1/2" Square & 1/4" Hex
Scope of supply:	MRP: ₹32,000 2x2.0Ah, GAL 18V-40 in MPP Case



CORDLESS

IMPACT DRIVER/WRENCH

New! GDX 18V-285 (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019N21L0
Battery voltage	18 V
Torque, max.	285 Nm
No-load speed	0-2,800 rpm
Weight incl. battery	1.13 kg
Breakaway torque, max.	500 Nm
Impact rate	0-3,600 bpm
Torque settings	2
Weight excl. battery	1.1 kg
Tool holder	1/2" Square & 1/4" Hex
Scope of supply:	MRP: ₹XX,XXX



IMPACT WRENCH

GDS 18V-200 Professional



Technical Specifications

HSN code	84672100
Part no.	06019J23F0
Battery voltage	18V
Square drive	1/2 inch
No-load speed	0-3,400 rpm
Impact rate	0-4,200 bpm
Max. torque	200 Nm
Screw diameter	M6-M16
Weight excl. battery	1.1 kg
Scope of supply:	MRP: ₹37,000 2x 4.0 Ah LI-ion batteries, 1 Charger, Carry case



IMPACT WRENCH

New! GDS 18V-350 Professional



Technical Specifications

HSN code	84672100
Part no.	06019M50F1
Battery voltage	18V
Torque, max.	350 Nm
No-load speed (3rd level)	0-2,300 rpm
No-load speed	0-1,200 rpm
Breakaway torque, max.	560 Nm
Torque settings	3
Weight excl. battery	1.1 kg
Impact rate	0-3,400 bpm



Scope of supply:
2x 4.0 Ah LI-ion batteries, 1 Charger, Carry case

MRP: ₹25,000

IMPACT WRENCH

GDS 18V-400 Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00F0
Battery voltage	18V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0-2,500 rpm
Screw Diameter	M10-M20
Head length	172 mm
Weight Excl Battery	1.25 kg

Scope of supply:
Carry case, 1 Charger,
2 x 5.0 Ah LI-ion batteries

MRP: ₹51,000



IMPACT WRENCH

GDS 18V-400 (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00K1
Battery voltage	18V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0-2,500 rpm
Screw Diameter	M10-M20
Head length	172 mm
Weight (w/o battery)	1.25 kg

Scope of supply:
*Battery and charger not
included, Carry case

MRP: ₹20,200



IMPACT WRENCH

GDS 18V-1050 H Professional



BITURBO
BRUSHLESS



Technical Specifications

HSN code	84672100
Part no.	06019J85F0
Battery voltage	18V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0-350/750/1050
Bolt diameter	M10-M24
Weight (w/o battery)	2.9 kg

Scope of supply:
1 Charger, 2 x 5.0 Ah LI-ion
batteries, L-BOXX 136

MRP: ₹66,800



IMPACT WRENCH

New! GDS 18V-1050 H (Solo) Professional



BITURBO
BRUSHLESS



Technical Specifications

HSN code	84672100
Part no.	06019J85L1
Battery voltage	18V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0.350/750/1050
Bolt diameter	M10-M24
Weight (w/o battery)	2.9 kg

Scope of supply:
*Battery and charger not
included, Carton Box

MRP: ₹33,700



IMPACT WRENCH

New! GDS 18V-1600 HC (Solo) Professional

1

CORDLESS



BITURBO
BRUSHLESS

HEAVY DUTY

powered by
Li-Ion
technology




Technical Specifications

HSN code	84672100
Part no.	06019M1080
Battery voltage	18V
Max Declared Torque	1600 Nm
Square drive	3/4 inch
Speed Setting	3
No Load Speed	0-800/1300/1750 rpm
Impact rate	0-1550/2200/2350 bph
Screw Diameter	M16-M33
Connectivity feature	Yes

Scope of supply:
Battery & Charger is not included

MRP: ₹41,000



RATCHET WRENCH

(Coming Soon) GRC 18V-60 (Solo) Professional

Technical Specifications

HSN code	xxxxxxx
Part no.	06019N8080
Torque (soft/hard/max.)*	31/60/- Nm
No-load speed (1st/2nd)	0-600/0 -1,900 rpm
Battery type	Lithium-Ion
Chuck capacity, min./max.	1.5 / 13 mm
Battery voltage	18.0 V
Weight excl. battery*	1.1 kg
Torque settings	20+1
Packaging dimensions (WxLxH)	256x331x112 mm
Square Anvil Size	3/8"
Max Bolt Size	M12
Main application	M8
Scope of supply:	MRP: ₹XX,XXX



ROTARY HAMMERS 1-2KG

(Coming Soon) GBH 18V-18 Professional

Technical Specifications

HSN code	84672100
Part no.	0611927080
Impact energy	1.7 J
Impact rate at rated speed*	0 - 4,550 bpm
Rated speed*	0 - 1,400 rpm
Battery voltage*	18V
Tool holder	SDS plus
Packaging dimensions (WxLxH)	242 x 320 x 110 mm
Weight excl. battery*	2.6 kg
	MRP: ₹XX,XXX



ROTARY HAMMER 1-2 KG

GBH 185-LI Professional

Technical Specifications

HSN code	84672100
Part no.	06119240F0
Battery voltage	18V
Impact energy	1.9 J
No-load speed	0-1,050 rpm
Impact rate	0-4,675
Max. drilling diameter in concrete	04-22 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in wood	20 mm
Bare tool weight with aux. handle	2.3 kg
Recommended battery	GBA 18V 4.0 Ah
Scope of supply:	2 x 4.0 Ah Battery, 1 Charger and Carry case
	MRP: ₹45,300

INTEGRATED DUST EXTRACTOR **New!** GDE 12 (Dust Extr for GBH 185) Professional

Technical Specifications

HSN code	85081100
Part no.	1600A02BW0
Maximum drilling depth	100 mm
Max. drill bit length	165 mm
Drilling diameter	4-12 mm
Weight	1.1 kg

*This is not a Tool, It is Dust Extractor which fits into GBH 185 Li for dust free drilling.

Scope of supply:
Carton box

MRP: ₹8,250

ROTARY HAMMERS 1-2KG (Coming Soon) GBH 18V-22X One Chuck Professional

1



Technical Specifications

HSN code	84672100
Part no.	06119241J0
Impact energy	1.9 J
Impact rate at rated speed*	0 - 4,675 bpm
Rated speed*	0 - 1,050 rpm
Battery voltage*	18V
Weight excl. battery*	2.3 kg
Tool holder	SDS plus
Packaging dimensions (WxLxH)	220 x 340 x 100 mm
Max drilling Dia	22 mm
Scope of supply:	MRP: ₹XX,XXX



CORDLESS

ROTARY HAMMER 4 KG

GBH 18V-34 CF (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	0611914082
Battery voltage	18V
Max. impact energy	5.8 J
Rated speed	0-500 rpm
Impact rate at rated speed	0-2,900 bpm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max drilling diameter in concrete	34 mm
Weight (w/o battery)	4.9 kg
Scope of supply:	*Battery & charger not included, MRP: ₹86,850 Carry case



SMALL ANGLE GRINDER

GWS 180-LI (100 mm) Kit Professional



*Product available till stocks last



Technical Specifications

HSN code	84672900
Part no.	06019H90F0
Battery voltage	18V
No-load speed	(15t/2") 11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front/back	185/156
Weight w/o battery	1.4 kg
Weight w/o 4.0 battery	2.0 kg

Scope of supply:

Standard auxiliary handle, Keyless Protection guard, Clamping nut, Back flange, Tom hole spanner, 2 x 4.0 Ah Li-ion Batteries, GAL 18V-40 charger x 1, **MRP: ₹40,300**
Carry case



SMALL ANGLE GRINDER

GWS 180-LI (Solo)(100 mm) Professional



*Product available till stocks last




Technical Specifications

HSN code	84672900
Part no.	06019H90K0
Battery voltage	18V
No-load speed (1st/2nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front/back	185/156
Weight w/o battery	1.4 kg
Weight w/o 4.0 battery	2.0 kg

Scope of supply:

*Battery and charger not included, Cardboard Box

MRP: ₹17,050



SMALL ANGLE GRINDER

New! GWS 18V-8 (100 mm)(Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019N90K0
Battery voltage	18V
Disc diameter	100 mm
Corded equivalent power	800mm
Rated speed	11,000 rpm
Grip size	153 mm
Weight w/o battery	1.6 kg

Scope of supply:

Battery & charge not included **MRP: ₹12,650**

SMALL ANGLE GRINDER


New! GWS 18V-8 (100 mm) Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019N90F0
Battery voltage	18V
Disc diameter	100 mm
Corded equivalent power	800mm
Rated speed	11,000 rpm
Grip size	153 mm
Weight w/o battery	1.6 kg

Scope of supply:

2 x 4.0 Ah Li-ion Batteries,
GAL 18V-40 charger x 1,
Carry case**MRP: ₹31,100**

SMALL ANGLE GRINDER

GWS 18V-10 (100 mm) Kit Professional



*Product available till stocks last

Technical Specifications

HSN code	84672900
Part no.	06019J40F0
Battery voltage	18V
Grinding spindle thread	M10
No-load speed	9,000 rpm
Correct weight	2.1 kg
Disc. diameter	100 mm

Scope of supply:

2 x 5.0 Ah Li-ion Batteries, 1 Charger, Handle
keyless Protection guard
clamping unit, Carry case**MRP: ₹48,700**

SMALL ANGLE GRINDER

GWS 18V-10 (125 mm)(Solo) Professional



*Product available till stocks last

Technical Specifications

HSN code	84672900
Part no.	06019J4002
Battery voltage	18V
No-load speed	9,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.1 kg

Scope of supply:

Cardboard box,
*Battery and charger not
included**MRP: ₹22,250**

SMALL ANGLE GRINDER

New! GWS 18V-11 S (100 mm) Kit Professional

1

CORDLESS




Technical Specifications

HSN code	84672900
Part no.	06019N40F1
Battery voltage	18V
Packaging dimensions WxLxH	132x390x158 mm
Disc diameter	100 mm
Corded equivalent power	1,100 W
Rated speed	3,000-9,000 rpm
Grip size	155 mm
Weight w/o battery	1.7 kg

Scope of supply:
2 x 5.0 Ah Li-ion Batteries,
GAL 18V-40 charger x 1,
Carry case

MRP: ₹36,000



SMALL ANGLE GRINDER

New! GWS 18V-15 S (125 mm)(Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019M6000
Battery voltage	18V
Equivalent to corded power	1,500 W
Disc diameter	125 mm
No-load speed	3,400 - 11,000 rpm
Weight without battery	2.1 kg

Scope of supply:
Battery & charge not included

MRP: ₹ 22,450



SMALL ANGLE GRINDER

GWX 180 LI (125 mm)(Solo) Professional



*Product available till stocks last

Technical Specifications

HSN code	84672900
Part no.	06019H91K0
Battery voltage	18V
No-load speed	11,000 rpm
Disc diameter	125 mm
Weight excl. battery	1.6 kg

Scope of supply:
Battery & charge not included

MRP: ₹19,100



BLOWER

GBL 18V-120 (Solo) Professional



Technical Specifications

HSN code	84145920
Part no.	06019F51L0
Battery voltage	18V
Max. air speed	75 m/s
Max. airflow	120 m ³ /h
No-load speed	17,000 rpm
Weight excluding battery	1.1 kg

Scope of supply:
4x Accessories (Nozzle,
Extension tube, Deep hole
nozzle, Dust collection tube), Carton box
*Battery and charger not included

MRP: ₹10,200



VACUUM CLEANER

GAS 18V-1 (Solo) Professional



Technical Specifications

HSN code	85081100
Part no.	06019C62L0
Battery voltage	18V
Weight excl. battery	1.3 kg
Container volume	0.7 l
Filter surface area	55 cm ²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure (turbine)	60 mbar

Scope of supply: **MRP: ₹10,200**
 1x Floor nozzle, 1x Flexible extension tube,
 1x Crevice nozzle and 2x Suction tubes,
 Battery & Charger not included



CIRCULAR SAW

GKS 185-LI (Solo) Professional



Technical Specifications

HSN code	84672200
Part no.	06016C12L1
Voltage	18V
Blade size/bore size	165/20 mm
No-load speed	5,000 rpm
Cutting depth, 90°/45°	57/41mm
Weight w/o battery	2.8 kg
Bevel capacity max.	50°

Scope of supply: **MRP: ₹20,200**
 1x circular saw blade
 165x 1.5/1.0x 20 mm,
 1x parallel guide, Carton box
 *Battery and charger not included



PLANNER TOOL

New! GHO 185-LI (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06015B5080
Battery voltage	18V
No-load speed	14,000 rpm
Planning depth	2.6 mm
Planning width	82 mm
Rebating depth	9 mm
Double chipping	Yes
Weight excl. battery	2.4 kg

Scope of supply: **MRP: ₹17,250**
 2 Nos Planner Blade, Dust Bag
 Parallel guide & Carton Box,
 Battery & charger is not included



JIGSAW

GST 185-LI (Solo) Professional



Technical Specifications

HSN code	84672200
Part no.	06015B30L3
Battery voltage	18V
Stroke length	26 mm
Cutting depth	125 mm
Bladeholder	SDS
LED	Yes
Weight (w/4.0 Ah battery)	2.6 kg
Chuck Size	13 mm

Scope of supply: **MRP: ₹16,050**
 1x jigsaw blade T 144 D,
 Speed for Wood,
 *Battery charger not included



RANDOM ORBIT SANDER

GEX 185-LI (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06013A5080
Battery voltage	18V
No-load speed	6,000-10,000
Sanding sheet diameter	125 mm
Height	135 mm
Sanding stroke	2.5 mm
Vibration	2.2 m/s ²
Weight	0.93 kg

Scope of supply:
1x Dust Bag,
*Battery charger not included

MRP: ₹10,750



ALL PURPOSE/RECIPSAW

GSA 18V-LI C (Solo) Professional

Technical Specifications

HSN code	84672200
Part no.	06016A5080
Battery voltage	18V
Cutting depth in wood	200 mm
Stroke lengths	21 mm
Cutting depth in metal profiles and metal pipes	100 mm
Stroke rate (1 st gear/2 nd gear)	0-3,050 spm
Weight	2 kg

Scope of supply:
*Battery and charger not included
Cardboard box, Inlay for L-BOXX 136,
1 x reciprocating saw blade S 922 AF,
1 x reciprocating saw blade S 922 EF,
1 x reciprocating saw blade S 922 HF

MRP: ₹29,400



ALL PURPOSE/RECIPSAW

GSA 185-LI (Solo) Professional

Technical Specifications

HSN code	84672200
Part no.	06016C00L0
Voltage	18V
No-load stroke rate	0-2,900 min ⁻¹
Stroke length	28 mm
Dimensions (LxWxH)	450 x 96 x 170
Weight w/o battery	2 kg
Cutting depth (wood)	230 mm

Scope of supply:
*Battery and charger not included
1x S 123 x "Progressor for wood"
1x S 2345 x "Progressor for metal"
Carton Box

MRP: ₹21,950



RIVET GUN

GRG 18V-16 C (Solo) Professional

Technical Specifications

HSN code	84672900
Part no.	06019K5080
Battery voltage	18V
Motor	Brushless
Pulling force	16,000 N
Stroke length	25 mm
Rivet diameter	3.0-6.4 mm
Weight excl. battery	1.6 kg

Scope of supply:
4 pcs Nose piece
12 mm Wrench, Belt clip,
HMI Connectivity
*Battery and charger not included

MRP: ₹81,200



1

CORDLESS



BATTERY/CHARGERS

BATTERIES /
CHARGERS



BATTERY

GBA 12V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A00F6X
Battery voltage	12V
Battery capacity	2.0 Ah°
Weight	0.18 kg

Suitable for

- 10.8V
 - 12.0V
- Bosch cordless tools range
(Tubular battery version)

MRP: ₹3,400

BATTERY

GBA 18V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A001CG
Battery voltage	18V
Battery capacity	2.0 Ah
Weight	0.35 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹5,250

BATTERY

GBA 18V 4.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A00163
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	0.6 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹7,150

BATTERY

New! GBA 18V 5.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A001Z9
Battery voltage	18V
Battery capacity	5.0 Ah
Weight	0.62 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹9,600

BATTERY

New! ProCORE 18V 4.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A0193L
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	0.51 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹12,000

BATTERY

ProCORE 18V 8.0 Ah Professional

2



Technical Specifications

HSN code	85076000
Part no.	1600A0193N
Battery voltage	18V
Battery capacity	8.0 Ah
Weight	0.95 kg

MRP: ₹19,450

Suitable for

- All 18V
- Bosch cordless tools range

CHARGER

New! GAL 12V-20 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A021L7
Charge current	2 A
Charging time min.	24 min
Input voltage	230V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,275

Suitable for charging of

10.8V

12.0V

Bosch tubular batteries

CHARGER

GAL 12V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V0
Charge current	4 A
Charging time min.	24 min
Input voltage	230V
Model	Li-Ion quick charger
Weight, approx.	0.45 kg

MRP: ₹3,600

Suitable for charging of

• 10.8V

• 12.0V

Bosch tubular batteries

CHARGER

GAL 18V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V1
Battery charging voltage	14.4-18V
Charge current	4 A
Charging time min.	36 min
Model	Li-Ion quick charger
Weight, approx.	0.55 kg

MRP: ₹4,600

Suitable for charging of

• 14.4V

• 18.0V

STARTER KITS

GAL 12V-40 + 2x GBA 12V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V3
Battery 1 capacity	2.0 Ah
Battery voltage	12V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12V
Charge current	4 A
Charge time at bat. cap.	24/35 min
2.0 Ah(80%/100%)approx.	
Charger weight	0.45 kg

MRP: ₹10,100

Suitable for charging of

• 12.0V

Bosch tubular batteries

BATTERIES /
CHARGERS

STARTER KITS

GAL 18V-40 + 2x GBA 18V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V4
Battery 1 capacity	2.0 Ah
Battery voltage	18V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4- 18V
Charge current	4A
Charge time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.55 kg

MRP: ₹14,900

Suitable for charging of

- 18.0V

STARTER KITS

GAL 18V-40 + 2x GBA 18V 4.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V2
Battery 1 capacity	4.0 Ah
Battery voltage	18V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4-18V
Charge current	4A
Charge time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

MRP: ₹18,650

Suitable for charging of

- 18.0V

PRO CORE 18V MAXIMUM PERFORMANCE AND RUN-TIME WITH FLEXIBLE POWER SYSTEM

Available in THREE CLASSES

COMPACT



PERFORMANCE



ENDURANCE



FLEXIBLE POWER SYSTEM:

100% COMPATIBLE

WITH ALL BOSCH PROFESSIONAL 18 V TOOLS

87%

More Power


30%

Faster Material Removal

METALWORKING



SMALL ANGLE GRINDER



SMALL ANGLE GRINDER 4"



Technical Specifications

HSN code	84672900
Part no.	060137505F
Power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M10
Disc diameter	100 mm
Weight	2.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹4,150

GWS 600 Professional



3

SMALL ANGLE GRINDER 4"

New! GWS 600 + Carbon Brush Professional



Technical Specifications

HSN code	84672900
Part no.	060137505M
Power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M10
Disc diameter	100 mm
Weight	2.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange, 1 X Carbon
brush set

MRP: ₹4,650



SMALL ANGLE GRINDER 4"

GWS 800 Professional



Back Switch



Technical Specifications

HSN code	84672900
Part no.	06013943F0
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,

MRP: ₹5,600



SMALL ANGLE GRINDER 4"

New! GWS 800 + 2 Cutting, 1 Grinding Professional



Back Switch



Technical Specifications

HSN code	84672900
Part no.	06013943F2
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,
2 Cutting weels, 1 Grinding wheel

MRP: ₹5,600



SMALL ANGLE GRINDER

SMALL ANGLE GRINDER 4"

New! GWS 800 + 1 Diamond Wheel Professional



Back Switch



Technical Specifications

HSN code	84672900
Part no.	06013943F1
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,
1 X Diamond blade

MRP: ₹5,560



SMALL ANGLE GRINDER 4"

GWS 750-100 Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06013940F3
Power input	750 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,800



SMALL ANGLE GRINDER 4"

GWS 900-100 Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06013960F1
Rated power input	900 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.9 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹7,050



SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

HSN code	84672900
Part no.	060137515A
Rated power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	1.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹6,200



SMALL ANGLE GRINDER 5"

GWS 900-125 S Professional

3



Technical Specifications

HSN code	84672900
Part no.	06013961F0
Rated input power	900 W
No-load speed	2,800-11,000 rpm
Disc diameter	125 mm
Grinding spindle thread	M14
Weight	1.9 kg

Scope of supply:
Wrench,
Protective guard,
Auxiliary handle

MRP: ₹9,200



SMALL ANGLE GRINDER 5"

GWS 12-125 S Professional




Technical Specifications

HSN code	84672900
Part no.	06013A60F0
Rated input power	1,200 W
No-load speed	2,800-11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹10,950



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional



Technical Specifications

HSN code	84672900
Part no.	06018242F1
Power input	1,400 W
No-load speed	11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹13,300



SMALL ANGLE GRINDER 5"

GWX17-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06017C40F2
Power input	1,700 W
No-load speed	2,800-11,500 rpm
Disc diameter	125 mm
Wire cup brush, diameter	75 mm
Weight	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹23,300



SMALL ANGLE GRINDER

SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional



Technical Specifications

HSN code	84672900
Part no.	06017A30F1
Power input	1,800 W
No-load speed	11,500 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹23,600



SMALL ANGLE GRINDER 5"

(Coming Soon) GWS 20 SB Professional



Technical Specifications

HSN code	xxxxxxxx
Part no.	06017D50F0
Power	2,000 W
No-load speed	2,800-10,500 rpm
Brake function	yes
Drop control	yes
Grip size	190 mm
Weight	2.4 kg


Scope of supply:

MRP: ₹XX,XXX



CYCLON TECH

CYCLON
TECH



**SMALL
ANGLE GRINDER**

- **RESTART PROTECTION**
Prevents accidental restarts
- **OVERLOAD PROTECTION**
Prevents motor burnout
Under extended overload conditions

LARGE ANGLE GRINDER

LARGE ANGLE GRINDER 7"

GWS 2200-180 Professional

4



Technical Specifications

HSN code	84672900
Part no.	06018C00F0
Rated power input	2,200 W
No-Load speed	8,500 rpm
Grinding spindle	M14
Disc diameter	180 mm
Weight	5.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹14,300



LARGE ANGLE GRINDER 9"

GWS 2200-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C10F0
Rated power input	2,200 W
No-Load speed	6,500 rpm
Grinding spindle	M14
Disc diameter	230 mm
Weight	5.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹15,650



LARGE ANGLE GRINDER 7"

GWS 24-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C20F0
Power input	2,400 W
No-load speed	8,500 rpm
Grinding spindle thread	M14
Disc diameter	180 mm
Weight without cable	5.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹19,900



LARGE ANGLE GRINDER 9"

GWS 24-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C30F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight without cable	5.8 kg

Scope of supply:
Auxiliary Handle, Guard,
Round nut, Pin Spanner,
Clamping Flange

MRP: ₹21,800



LARGE ANGLE GRINDER

LARGE ANGLE GRINDER 7"

GWS 24-180 JZ Professional



Technical Specifications

HSN code	84672900
Part no.	06018C23F0
Power input	2,400 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.8 kg

Scope of supply:

Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹21,050



LARGE ANGLE GRINDER 9"

GWS 24-230 JZ Professional



Technical Specifications

HSN code	84672900
Part no.	06018C33F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight	6 kg

Scope of supply:

Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹23,000



LARGE ANGLE GRINDER 7"

New! GWS 27-180 PR Professional



Technical Specifications

HSN code	84672900
Part no.	06018C61F0
Rated input power	2,700 W
No-load speed*	6,900-8,500 rpm
Power output*	2,700 W
Grinding spindle thread	M14
Disc diameter	180 mm
Wire cup brush, diameter	100 mm
Weight*	6.1 kg

Scope of supply:

Anti-vibration auxiliary handle, Protective grinding guard, Locking nut, Spanner

MRP: ₹23,560



LARGE ANGLE GRINDER 9"

New! GWS 27-230 PR Professional



Technical Specifications

HSN code	84672900
Part no.	06018C71F0
Rated input power	2,700 W
No-load speed*	5,200-6,500 rpm
Power output*	2,700 W
Grinding spindle thread	M14
Disc diameter	230 mm
Wire cup brush, diameter	100 mm

Scope of supply:

Anti-vibration auxiliary handle, Protective grinding guard, Locking nut, Spanner

MRP: ₹24,500



LARGE ANGLE GRINDER 7"

GWS 30-180 B Professional

4



Technical Specifications

HSN code	84672900
Part no.	06018G00F0
Power input	2,800 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.7 kg

Scope of supply:

Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹40,000



LARGE ANGLE GRINDER 9"

GWS 30-230 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G10F0
Power input	2,800 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight without cable	5.9 kg

Scope of supply:

Auxiliary Handle, Guard, Round nut, Pin Spanner, Clamping Flange

MRP: ₹43,150



LARGE ANGLE GRINDER

STRAIGHT GRINDER

GGG 3000 L Professional



Technical Specifications

HSN code	84672900
Part no.	06012240F0
Power input	300 W
No-load speed	0-28,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.4 kg

Scope of supply:
Collet chuck, Lock nut,
Spanner

MRP: ₹12,150



STRAIGHT GRINDER

New! GGS 30 LS Professional



Technical Specifications

HSN code	84672900
Part no.	06012B50F0
Power input	750 W
No-load speed	7,000-33,000 rpm
Collet diameter supplied	6 mm
Weight without cable	1.7 kg

Scope of supply:
Carton box, 1 x Wrench

MRP: ₹30,500




STRAIGHT GRINDER

GGG 28 LCE Professional



*Product
available till
stocks last



Technical Specifications

HSN code	84672900
Part no.	06012211F0
Power input	650 W
No-load speed	10,000-28,000 rpm
Tool holder Up to	8 mm
Weight without cable	1.6 kg

Scope of supply:
Clamping unit,
13 mm spanner,
19 mm spanner

MRP: ₹32,300



BT GRINDERS



HEAVY
DUTY



Technical Specifications

HSN code	84672900
Part no.	060127A3F0
Power input	350 W
No load speed	3,000 rpm
Disc diameter	150 mm
Grinding disc width	20 mm
Grinding disc bore	20 mm
Weight	10 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹15,450

GBG 35-15 Professional

5



BT GRINDERS



HEAVY
DUTY



Technical Specifications

HSN code	84672900
Part no.	060127A4F0
Power input	600 W
No load speed	(50/60Hz) 3,600 rpm
Disc diameter	200 mm
Grinding disc width	25 mm
Grinding disc bore	32 mm
Weight	15 kg

Scope of supply:
Grinding wheel,
Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹24,650

GBG 60-20 Professional



BT GRINDERS



BENCH TOP CUT-OFF SAW

GCO 220 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B373F0
Input power	2,200 W
No-load speed	3,800 rpm
Disc diameter	355 mm
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity round	129 x 129 mm
Cutting capacity L-profile	130 x 130 mm
Weight	15 kg

Scope of supply:
Cutting disc

MRP: ₹19,400



BENCH TOP CUT-OFF SAW

New! GCO 230 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B560F0
Input power	2,300 W
No-load speed	4,100 rpm
Cutting capacity(L-profile)	137 mm
Cutting capacity(square bar)	120 x 120 mm
Cutting capacity(rectangle)	100 x 200 mm
Cutting capacity(L-profile)	137 mm
Weight	13.5 kg

Scope of supply:
Cutting disc

MRP: ₹20,300



BENCH TOP CUT-OFF SAW

GCO 14-24 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B371F0
Input power	2,400 W
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity L-profile	130 x 130 mm
No-load speed	3,800 rpm
Disc diameter	355 mm
Weight	17 kg

Scope of supply:
Cutting disc

MRP: ₹23,600



BENCH TOP CUT-OFF SAW

GCO 14-24 J Professional



Technical Specifications

HSN code	84672200
Part no.	0601B372F0
Rated power input	2,400 W
No-load speed	3,800 rpm
Saw blade diameter	355 mm
Saw blade bore	25.4 mm
Cutting capacity at rectangle	100 x 196 mm
Cutting capacity at square	119 x 119 mm
Cutting capacity at L-profile	130 x 130 mm
Weight	18.1 kg

Scope of supply:
Cutting disc

MRP: ₹25,500



ROTARY & IMPACT DRILLS



ROTARY DRILL

GBM 350 Professional



Technical Specifications

HSN code	84672100
Part no.	06011A95F1
Power input	350 W
No-load speed	0-2,000 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg
Scope of supply:	
Keyed chuck 10 mm	MRP: ₹3,700




ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06014775F0
Power input	600 W
No-load speed	0-2,600 rpm
Chuck capacity	1.5-13 mm
Drilling diameter in steel	13 mm
Drilling diameter in aluminium	13 mm
Drilling diameter in wood	30 mm
Weight	1.7 kg
Scope of supply:	
Keyed chuck 13 mm	MRP: ₹7,650



ROTARY DRILL

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011B00F1
Power input	850 W
No-load speed	0-630 rpm
Rated torque	11 Nm
Lock-on button	Yes
Stirrer capacity	160 mm
Wood drilling	40 mm
Metal drilling	16 mm
Weight	3 kg
Scope of supply:	
Auxiliary handle	MRP: ₹17,850



ROTARY DRILL

GBM 50-2 Professional



Technical Specifications

HSN code	84672100
Part no.	06011B40F0
Power input	1,200 W
No-load speed	50-255/100-510 rpm
Annular cutter	Ø 50 mm
Max. twist drill	Ø 23 mm
Max. thread	M16
Magnetic force	14,000 N
Weight	14.7 kg
Scope of supply:	
Carry case, MT2 drill drift, Hex key, Safety strap, Reduction sleeve, Pilot pin, Adapter for annular cutter, Cooling tank with hose, Cooling tank holder	MRP: ₹1,32,500



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06012161FK
Input Power	450 W
Impact Rate	0-41,600 bpm
No-load speed	0-2,600 rpm
Max. drill capacity: masonry	10 mm
Max. drill capacity: steel	8 mm
Max. drill capacity: wood	20 mm
Weight	1.5 kg

MRP: ₹4,350

GSB 450 Professional

6



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06011A03F0
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
Auxiliary handle, Depth gauge, Keyed chuck 13 mm

MRP: ₹4,700

GSB 600 Professional



IMPACT DRILL

GSB 10 RE KIT (100 Pc Kit) Professional




Technical Specifications

HSN code	84672100
Part no.	06012161F4
Power input	500 W
No-load speed	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Drilling diameter in masonry wall	10 mm
Drilling diameter in steel	8 mm
Drilling diameter in wood	20 mm
Chuck capacity	1-10 mm
Weight	1.5 kg

Scope of supply:
100 Pc Kit in carrying case with drill machine

MRP: ₹9,100



IMPACT DRILL

GSB 500 RE KIT (100 Pc Kit) Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F8
Power input	500 W
No-load speed, 1 st gear	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Chuck capacity, min./max.	1.5-10 mm
Weight	1.5 kg

Scope of supply:
100 Pc Kit in carrying case with drill machine

MRP: ₹9,100



IMPACT DRILL

GSB 600 (100 Pcs Kit) Professional



Technical Specifications

HSN code	84672100
Part no.	06011A03F1
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
100 Pc Kit in carrying case
with drill machine

MRP: ₹9,600



IMPACT DRILL

GSB 600 Wrap Set Professional



Technical Specifications

HSN code	84672100
Part no.	06011A03F2
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm


Scope of supply:
4 Pcs Concrete Drill Bits,
4 Pcs Metal Drill Bits, 10 Pcs Screw-
driver Bits, 4 Pcs Wood Drill Bits
Universal Holder, Screws and Plastic Plugs with carrying case

MRP: ₹7,300



IMPACT DRILL

GSB 16 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012281F0
Rated input power	750 W
No-load speed	0-3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0-48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle,
Chuck key,
Depth gauge

MRP: ₹12,550



IMPACT DRILL

GSB 20-2 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011A21F1
Power input	800 W
No-load speed(1/2 nd Gear)	1,100/3,000 rpm
Impact Rate	48,000 bpm
Max. drilling diameter (18/24 gear) Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.5 kg


Scope of supply:
Auxiliary handle,
Chuck key,
Depth gauge

MRP: ₹19,000





ROTARY HAMMERS



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112A60F0
Rated input power	720 W
Impact energy	2 J
Impact rate at rated speed	0-4,800 bpm
Drilling diameter concrete, hammer drill bits	4-22 mm
Max. drilling diameter in (metal/wood/concrete)	13/30/22 mm
Tool holder	SDS Plus
Weight	2.3 kg

Scope Of Supply: Carrying Case **MRP: ₹11,550**

GBH 220 Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112721F1
Power input	790 W
Impact energy	2.7 J
Drilling capacity	24 mm
Max. drilling diameter in (metal/wood/concrete)	13/30/24 mm
No-load speed	1,300 rpm
Impact rate	4,200 bpm
Weight	2.8 kg

Scope of supply: Carry case

MRP: ₹17,550

GBH 2-24 DRE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	0611251755
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0-900 rpm
Single impact energy	0-3 J
Weight	2.7 kg

Scope of supply:

Auxiliary handle, Depth gauge, Carry case

MRP: ₹21,850

GBH 2-26 RE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112537F0
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0-900 rpm
Single impact energy	2.7 J
Weight	2.7 kg

Scope of supply:

SDS plus quick change chuck, Auxiliary handle, Depth gauge, Carry case,

MRP: ₹23,600

GBH 2-26 DRE + DRILL CHUCK Professional



ROTARY HAMMER 1-2 KG

GBH 2-28 DV Professional



Technical Specifications

HSN code	84672100
Part no.	06112671F0
Drilling diameter in concrete	4-28 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core diameter masonry	68 mm
Rated power input	850 W
No-load speed	0-1,300 rpm
Impact rate at rated speed	0- 5,100 bpm
Impact energy	0-3.2 J
Weight	2.9 kg

Scope of supply:

Auxiliary handle, Depth gauge,
Carry case

MRP: ₹26,350

HEAVY
DUTY



ROTARY HAMMER 4 KG

GBH 4-32 DFR Professional



Technical Specifications

HSN code	84672100
Part no.	06113321F0
Drilling diameter in concrete	6-32 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	32 mm
Power input	900 W
No-load speed	0-800 rpm
Impact rate	0-3,600 bpm
Impact energy	4.2 J
Weight	4.7 kg

Scope of supply:

Auxiliary handle, Carry case,
Depth stop,

SDS-plus quick-change chuck MRP: ₹50,900

HEAVY
DUTY



ROTARY HAMMER 5 KG AND MORE

GBH 5-40 D Professional



Technical Specifications


HSN code	84672100
Part no.	06112690F0
Drilling diameter in concrete	12-40 mm
Rated power input	1,100 W
Impact energy	8.5 J
Impact rate at rated speed	1,500-2,900 bpm
Rated speed	170-340 rpm
No-load Speed	0-760 rpm
Weight	6.8 kg

Scope of supply:

Carrying cases, Cleaning cloth,
Grease tube, Auxiliary handle

MRP: ₹66,650

HEAVY
DUTY



ROTARY HAMMER 5 KG AND MORE

New! GBH 6-42 C Professional



Technical Specifications

HSN code	84672100
Part no.	06112780F0
Rated input power	1300 W
Impact energy	9 J
Voltage, electrical	230 V
Weight	7.7 kg
Tool holder	SDS max
Drilling dia. concrete, hammer drill bits	12 – 42 mm
Opt. appl. range concrete, hammer drill bits	18 – 40 mm

Scope of supply:

Carrying cases

MRP: ₹68,950

HEAVY
DUTY



ROTARY HAMMER 8 KG

GBH 8-45 DV Professional

7

ROTARY
HAMMERS



Technical Specifications

HSN code	84672100
Part no.	06112650F0
Rated power input	1,500 W
Impact energy	12.5 J
Impact rate at rated speed	1,380-2,760 bpm
Rated speed	0-305 rpm
Drilling diameter concrete, Hammer drill bits	12-45 mm
Optimum range of applications in concrete with hammer drill bits	20-40 mm
Drilling diameter in concrete with breakthrough drill bits	80 mm
Weight without cable	8.9 kg



HEAVY
DUTY



Scope of supply:
Grease tube, Cleaning cloth
Carrying case

MRP: ₹1,21,850

ROTARY HAMMER 12 KG

GBH 12-52 DV Professional



Technical Specifications

HSN code	84672100
Part No.	06112660F0
Input Power	1,700 W
Max. Impact Energy	19 J
Impact rate at rated speed	1,750-2,150 bpm
Rated Speed	0-220 rpm
Drilling diameter in concrete With hammer drill bits	12-52 mm
Weight	11.9 kg



HEAVY
DUTY



Scope of supply:
Carrying case, Grease tube,
Machine cloth,
Auxiliary handle

MRP: ₹1,45,650





DEMOLITION HAMMERS



DEMOLITION HAMMER

GSH 500 Hex Professional




Technical Specifications

HSN code	84672100
Part no.	06113386F1
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	17 Hex mm
Side handle	Straight handle
Weight	5.6 kg

Scope of supply:
Auxiliary handle,
2 Chisel, Carry case

MRP: ₹29,150



DEMOLITION HAMMER

Coming Soon! GSH 5 HX Professional



Technical Specifications

HSN code	84672100
Part no.	06113388F1
Impact rate at rated speed	2,850 bpm
Rated input power	1100 W
Impact energy	7.5 J
Weight	5.6 kg
Tool holder	SDS max

Scope of supply:

MRP: ₹XX,XXX



DEMOLITION HAMMER

GSH 500 MAX Professional



Technical Specifications

HSN code	84672100
Part no.	06113387F0
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	SDS MAX
Side handle	Straight handle
Weight	5.7 kg

Scope of supply:
Auxiliary handle,
1 Chisel, Carry case

MRP: ₹36,750



DEMOLITION HAMMER

GSH 5 Professional



*Product
available till
stocks last




Technical Specifications

HSN code	84672100
Part no.	06113370F0
Rated power input	1,100 W
Impact energy	7.5 J
Rated speed	2,850 bpm
Weight without cable	5.6 kg

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel, Carry case,
Cleaning cloth, Grease tube,
Straight handle

MRP: ₹50,000



DEMOLITION HAMMER < 11 KG

GSH 11 E Promo Professional



Technical Specifications

HSN code	84672100
Part no.	06113168F2
Power input	1,500 W
Impact rate	900-1,890 bpm
Impact energy	16.8 J
Weight	10.1 kg

Scope of supply:
Auxiliary handle, Carry case,
Grease tube, 1 Nos R-Tech pointed chisel,
1 Nos R-Tech Flat Chisel

MRP: ₹64,050



DEMOLITION HAMMER > 11 KG

GSH 11 VC Professional



Technical Specifications

HSN code	84672100
Part no.	06113360F0
Power input	1,700 W
Impact energy	23 J
Impact rate at rated speed	900-1,700 bpm
Weight without cable	11.4 kg

Scope of supply:
Auxiliary handle, carrying case,
Grease tube, machine cloth,
Pointed chisel

MRP: ₹1,13,650



DEMOLITION HAMMER > 14 KG

GSH 14 C Professional



Technical Specifications

HSN code	84672100
Part no.	06113440F0
Power input	1,750 W
Impact rated at rate speed	1,900 Bpm
Impact energy (EPTA)	28 J
Width x length x height	140 x 750 x 280
Weight	14.6 kg
Tool holder	22 mm HEX

Scope of supply:
1 x Pointed chisel,
1 x Grease tube,
1 x Cleaning cloth,
1 x Auxiliary handle and carrying case

MRP: ₹1,06,500



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



Technical Specifications

HSN code	84672100
Part no.	06113351F0
Power input	1,750 W
Impact rate	1,300 Bpm
Impact energy	41 J
Weight	16.9 kg
Tool holder	30 mm HEX

Scope of supply:
Carrying handle, Trolley,
Grease tube, Machine cloth,
Pointed chisel

MRP: ₹1,57,700



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



Technical Specifications

HSN code	84672100
Part no.	061130A0F0
Rated power input	2,000 W
Impact energy	62 J
Impact rate at rated speed	1,000 bpm
Weight	29.5 Kg
Tool holder	28 mm HEX


Scope of supply:
Carton Box

MRP: ₹3,13,050





DIAMOND/STONE CUTTER



DIAMOND/STONE CUTTER

GDC 120 Professional

9



*Product available till stocks last



Technical Specifications

HSN Code	84672900
Part No.	06013930F1
Rated Power Input	1,200 W
No-load Speed	12,000 rpm
Tool Blade	4 Inch
Cutting Depth (At 90°)	34 mm
Cord Length	1.5 m
Net Weight	2.8 kg

Scope of supply:

1x Hex key,
1x Hexagon socket wrench,
Cardboard box

MRP: ₹6,300



DIAMOND/STONE CUTTER

GDC 140 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A40F1
Rated Power Input	1,400 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	115 mm
Max. Cutting Depth	35 mm
Weight	3 kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box

MRP: ₹6,650



DIAMOND/STONE CUTTER

GDC 141 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A41F0
Rated Power Input	1,450 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	125 mm
Max. Cutting Depth	40 mm
Weight	3 kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box

MRP: ₹7,800



DIAMOND/STONE CUTTER

WOODWORKING

WOODWORKING



CIRCULAR SAW



Technical Specifications

HSN code	84672200
Part no.	06016C30F0
Power input	1,300 W
Blade diameter/bore size	184/20 mm
No-load speed	5,220-6,380 rpm
Max. depth of cut at	0° 64 +/-1
Cutting depth at	90° 64 mm
Cutting depth at	45° 45 mm
Weight	3.9kg
<i>Scope of supply:</i>	
Parallel guide,	MRP: ₹12,000
Circular saw blade, Allen key	

GKS 130 Professional



CIRCULAR SAW



Technical Specifications

HSN code	84672200
Part no.	06016230F1
Power input	1,400 W
No-load speed	5,200 rpm
Saw blade bore	20 mm
Saw blade diameter	184 mm
Cutting depth	(90°) 67 mm
Cutting depth	(45°) 48 mm
Weight without cable	4.1 kg
<i>Scope of supply:</i>	
Allen key WAF 5,	MRP: ₹16,950
Parallel guide, Saw blade	

GKS 190 Professional



CIRCULAR SAW



Technical Specifications

HSN code	84672200
Part no.	06015A20F0
Power input	2,050 W
No-load speed	0-5,300 rpm
Saw blade bore	25 mm
Saw blade diameter	235 mm
Cutting depth	(90°) 85 mm
Cutting depth	(45°) 65 mm
Weight without cable	7.6 kg
<i>Scope of supply:</i>	
Allen Key, Wrench,	MRP: ₹22,250
Saw blades	

GKS 235 Turbo Professional



MITERSAW



*With Blade



Technical Specifications

HSN code	84659100
Part no.	0601B520F0
Power input	1,750 W
Cutting capacity,0°	90 mm
Cutting capacity,45° incline	130 mm
No-load speed	5,000 rpm
Saw blade diameter	255 mm
Saw blade bore	25.4 mm
Weight	11.5 kg
<i>Scope of supply:</i> 1 x circular saw blade, Optiline Wood, 254 x 2.8/1.8 x 30 mm, 40T, Dust Bag, Allen Key	

MRP: ₹32,150

GCM 254 Professional



MITERSAW

(Coming Soon) GCM 340-305 D Professional



Technical Specifications

HSN code	84659100
Part no.	0601B600F0
Power	1,800 W
Disc size	305 mm
No-load speed	4,100 rpm
Miter range	52°/60°
Max. horizontal capacity 90°	340 mm
Max .vertical capacity 90°	105 mm
Cutting line indication	LED

Scope of supply:

MRP: ₹XX,XXX



TABLE SAW



Technical Specifications

HSN code	84672200
Part no.	0601B450F0
Cutting depth	0"/45" 80/55 mm
Rip cut capacity	545 mm
Power	1,800/15A
Saw blade diameter	254 mm
Overload/restart protection	Yes
Table size	55 x 555 mm
Weight with stand	24.4 kg

Scope of supply:
1 x circular saw blade,
Expert for Wood, 254 x 2.5/1.8 x 25.4 mm,
40 & Metal Stand

MRP: ₹37,100

GTS 254 Professional



TABLE SAW

***Product available till stocks last**



Technical Specifications

HSN code	84672200
Part no.	0601B305F0
Max. cutting capacity on the right	635 mm
Max. cutting capacity on the left	255 mm
Incline setting	47 ° L/2 ° R
Power	1,800 W
Saw blade diameter	254 mm
Table size	642 x 634 mm

Scope of supply:
Wood disc

MRP: ₹1,07,850

GTS 10 J Professional



JIGSAW

GST 680 Professional



Technical Specifications

HSN code	84672200
Part no.	06015B40F0
Power input	500 W
Stroke rate at no load	800-3,100 spm
Cutting depth	68 mm
Weight	2.08 kg


Scope of supply:
1 Wood blade, 1 Allen key

MRP: ₹6,250



JIGSAW

GST 90 Professional



Technical Specifications

HSN code	84672200
Part no.	060158F0F0
Power input	650 W
No-load stroke rate	500-3,100 spm
Cable length	2.5 m
Cutting depth in wood	90 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight	2.6 kg

Scope of supply:
Dust extraction set,
Carry case, Hex key WAF 5,
Anti-splinter guard,
5 x jigsaw blade T 144 D

MRP: ₹22,550



PLANER

GHO 6500 Professional




Technical Specifications

HSN code	84672900
Part no.	06015960F0
Power input	650 W
No-load speed	16,500 rpm
Planing width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg

Scope of supply:
Allen key, Parallel guide,
Sharpening device for HSS blade,
Setting gauge for HSS blade

MRP: ₹12,350



PLANER

(Coming Soon) GHO 16-82 Professional



Technical Specifications

HSN code	84672900
Part no.	06015962F0
Torque (soft/hard/max.)*	31/60/- Nm
No-load speed (1st /2nd)*	0 -600/0-1,900 rpm
Battery type	Lithium-Ion
Chuck capacity, min./max.	1.5 / 13 mm
Battery voltage	18.0 V
Weight excl. battery*	1.1 kg
Torque settings	20+1
Packaging dimensions (WxLxH)	256x331x112 mm

Scope of supply:

MRP: ₹XX,XXX



RANDOM ORBIT SANDERS

(Coming Soon) GHO 10-82 Professional



Technical Specifications

HSN code	84672900
Part no.	06015940F1
Power input	710 W
Adjustable rebating depth	0-9 mm
No-load speed	16,500 rpm
Cutting width	82 mm
Cutting depth max.	1 mm
Weight without cable	2.5 kg

Scope of supply:
Guide bracket,
Single-ended open-jaw
spanner, Stop bracket

MRP: ₹13,400



RANDOM ORBIT SANDERS

GHO 26-82 D Professional



Technical Specifications

HSN code	84672900
Part no.	06015A40F0
Power input	710 W
No-load speed	18,000 rpm
Recess	9 mm
Cutting width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg

Scope of supply:
Dust bag, Parallel guide
Auxiliary blade

MRP: ₹17,750



RANDOM ORBIT SANDERS

GEX 125 Professional

Technical Specifications

HSN code	84672900
Part no.	06013A80F0
Power input	290 W
Sanding pad diameter	125 mm
No-load speed	7,500-12,000 rpm
Orbital stroke rate	15,000-24,000 opm
Eccentricity	1.3 mm
Weight	1.4 kg

Scope of supply:
dust collection bag &
Sanding disc

MRP: ₹7,500



ORBITAL SANDERS

GEX 125-1 AE Professional

Technical Specifications

HSN code	84672900
Part no.	06013875F2
Power input	250 W
Sanding pad diameter	125 mm
No-load speed	7,500-12,000 rpm
Orbital stroke rate	15,000-24,000 opm
Eccentricity	1.25 mm
Oscillating circuit diameter	2.5 mm
Weight	1.3 kg

Scope of supply:
Microfilter dust box &
Sanding disc

MRP: ₹11,250



ORBITAL SANDERS

GEX 34-150 Professional

Technical Specifications

HSN code	84672900
Part no.	06013728F0
Power input	340 W
No-load speed	4,500-12,000 rpm
Orbital stroke rate	9,000-24,000 opm
Orbit diameter	4 mm
Pad diameter	150 mm
Weight	2.4 kg

Scope of supply:
Vac Adapter, Dust bag,
Medium Pad 150mm

MRP: ₹24,150



ORBITAL SANDER



Technical Specifications

HSN code	84672900
Part no.	06012A80F1
Power input	220 W
No-load speed	14,000 rpm
No-load orbital stroke rate	28,000 opm
Orbital diameter	1.5 mm
Sanding sheet dimension	114 x 140 mm
Sanding plate dimension	101 x 112 mm
Weight	1.1 kg

Scope of supply:
Wood sanding sheet 3 pcs **MRP: ₹4,900**

GSS 140 Professional



ORBITAL SANDER



Technical Specifications

HSN code	84672900
Part no.	06012980F0
Power input	190 W
No-load speed	12,000 rpm
Sanding sheet size	230 mm x 93 mm
Sanding plate size	182 mm x 92 mm
Weight	1.5 kg

Scope of supply:
Carton box,
3 Sanding sheets **MRP: ₹9,600**

GSS 2300 Professional



ROUTER



Technical Specifications

HSN code	84672900
Part no.	06016A00F0
Power input	550 W
No-load speed	33,000 rpm
Bit size	6 1/4" mm
Weight	1.4 kg

Scope of supply:
Parallel guide, Roller guide,
Template guide, Spinners,
Straight bit **MRP: ₹9,100**

GKF 550 Professional



ROUTER



Technical Specifications

HSN code	84672900
Part no.	06016B70F0
Power input	1,300 W
No-load speed	11,000-28,000 rpm
Bit holder	6 - 8.0 mm
Router bit diameter	40 mm
Weight	3.5 kg

Scope of supply:
Wrench, Parallel guide, Template
guide, Dust extraction adapter,
Centering pin, Guide roller, **MRP: ₹16,450**
Collet 8 mm, Collet 6 mm

GOF 130 Professional





SPECIALITY TOOLS

All Purpose/Recipsaw

Technical Specifications

HSN code	84672200
Part no.	06016B10F0
Power input	1,200 W
Stroke rate	0-3,000 per min.
Stroke length	29 mm
Blade change	SDS
Max. cutting depth in wood	220 mm
Max. cutting depth in metal	20 mm
Weight	3.7 kg

Scope of supply:
1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹21,050

*Product available till stocks last



GSA 120 Professional



All Purpose/Recipsaw

Technical Specifications

HSN code	84672200
Part no.	06016C70F0
Voltage	220-230 V
Rated power	1,250 W
No-load speed	0-3,000 rpm
Stroke length	30 mm
Cutting capacity (metal pipe/wood board)	150/230 mm
Weight	3.7 kg

Scope of supply:

MRP: ₹XX,XXX



(Coming Soon) GSA 12-30 Professional



RECIPSAW

Technical Specifications


HSN code	84672200
Part no.	060164E2F0
Power input	1,300 W
Stroke rate at no load	0-2,900 spm
Stroke length	28 mm
Cutting depth in wood	220 mm
Cutting depth in metal	20 mm
Profiles and metal pipes	175 mm
Weight	4.1 kg

Scope of supply:
Carrying case,
1 x reciprocating saw blade S 2345 X,
1 x reciprocating saw blade S 123 XF

MRP: ₹28,450



GSA 1300 PCE Professional



BLOWER

Technical Specifications

HSN code	84145920
Part no.	06019M40F0
Input power	650 W
No-load Speed	16,000 rpm
Flow Rate	3.7 m ³ /min.
Weight	1.7 kg

Scope of supply:
1x Nozzle

MRP: ₹4,800



New! GBL 650 Professional



BLOWER

GBL 82-270 Professional



Technical Specifications

HSN code	85081100
Part no.	06019804F5
Input power	820 W
No-load Speed	16,000 rpm
Flow Rate	4.5 m ³ /min.
Weight	2.25 kg

Scope of supply:
 Deep Hole Nozzle
 Standard Nozzle
 Extension nozzle
 Flexible Connection
 Dust bag

MRP: ₹8,250



VACUUM CLEANER

GAS 15 PS Professional



Technical Specifications

HSN code	85081100
Part no.	06019E51F0
Power input	1,100 W
Container (gross/net)	15/8 L
Max. airflow	53 L/Sec
Max. vacuum pressure	270 mbar
Weight	6 kg

Scope of supply:

Crevice nozzle, Carton box, 3M anti-static hose, Elbow, Tubes (2pcs), Plastic bags, Floor nozzle set

MRP: ₹23,600

*Blowing Hose has to be purchased separately



VACUUM CLEANER

GAS 12-25 Professional



Technical Specifications

HSN code	85081100
Part no.	060197C0F0
Power input	1,250 W
Vacuum pressure	200 mbar
Air Flow	63 L/Sec
Dust tank capacity gross	25 L
Tank capacity net dry/wet	21/16 L
Main filter class	H13 HEPA
Weight	9 kg

Scope of supply:

3M Hose, Elbow, Crevice nozzle, Floor nozzle set, Adapter, Tubes (2 pcs), Plastic bags (5 pcs)

MRP: ₹27,650

*Blowing Hose has to be purchased separately



VACUUM CLEANER

New! GAS 400 A Professional



Technical Specifications

HSN code	85081100
Part no.	06019M00F0
Max. power input (Turbine)	1,200 W
Container volume, gross/net	40L/28L
Vacuum turbine (Kpa)	24
Airflow turbine (L/sec)	80
Max. vacuum pressure (turbine)	240 mbar
Filter cleaning system	Automatic
Weight	14 kg

Scope of supply:

1 x combi brush nozzle, 2 x Disposal bag
 1 x combi PT adapter, 1 x hose
 1 x main filter, 1 x curved tube

MRP: ₹59,850





Technical Specifications

HSN code	85081100
Part no.	06019C33F0
Max. power input (Turbine)	1,200 W
Container volume, gross	55 L
Container volume, net	43 L
Container volume, net, water	40 L
Filter surface area	6.150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	16.2 kg

*Tool Socket for connecting Power Tools.

Scope of supply:
5 m anti-static hose, Elbow,
Crevice nozzle, Floor nozzle set,
Disposal bag, Tool sleeve

MRP: ₹1,41,300



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	060194D0F0
Power input	1,800 W
Max. temperature	60/350/50° C
Air flow rate	350/350/550 lpm
Over-heat Protection	Yes
Weight	0.75 kg

Scope of supply:
Hot Air Nozzle

MRP: ₹4,400

GHG 180 Professional



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	06012A62F0
Power input	2,000 W
Temperature range	50-630°C
Adjustable temperature	Yes
Steps	
Air flow rate	150-500 litre/min.
Durability	600 h
Weight	0.65 kg

Scope of supply:

Glass Protection Nozzle,
Surface nozzle, welding shoe,
Reduction nozzle, Reflector nozzle

MRP: ₹12,500

GHG 20-63 Professional



HEAT GUN




Technical Specifications

HSN code	84672900
Part no.	06012A64F0
Power input	2,000 W
Temperature max.	50-630°C
Adjustable temp steps	Yes
Air flow rate	~150/500 litre/min.
Infinitely variable airflow control	No
Durability	500-750 h
Weight	0.55 kg

Scope of supply:
Carton Box

MRP: ₹14,150

GHG 20-60 Professional



METAL SURFACE FINISH



Technical Specifications


HSN code	84672900
Part no.	06013A20F0
Power	950 W
Variable speed	600-2,100 rpm
Grinding spindle thread	M14
Stick pad diameter	ø165 mm
Max. accessory diameter	180 mm
Weight	2.3 kg

Scope of supply:

Supporting disc, Wrench
Polishing sponge, Auxiliary handle

MRP: ₹13,200

GPO 950 Professional



METAL SURFACE FINISH

(Coming Soon) GPO 11-180 S Professional

Technical Specifications

HSN code	84672900
Part no.	06013A23FO
Input power	1100 W
Speed range	900-3800 rpm
Disc size	180 mm
Spindle size for 06013A23GO	5/8"
Spindle size for other versions	M14
Weight	2.1 kg
Speed selection	Yes, 6 levels
Soft start	Yes
Scope of supply:	MRP: ₹XX,XXX



BOSCH
Professional

METAL SURFACE FINISH

GPO 12 CE (Promo) Professional



Technical Specifications

HSN code	84672900
Part no.	06013890F1
No-load speed	750-3,000 rpm
Grinding spindle thread	M14
Rubber sanding plate	180 mm
Power input	1,250 W
Weight	2.5 kg
Scope of supply:	MRP: ₹21,150
M14/M16 adapter, Auxiliary handle, Spacer disc, Auxiliary D-handle, Wrench, Polishing pads	



HEAVY DUTY
CONSTANT SPEED
SPEED SELECTION
ELECTRONIC

DRYWALL SCREWDRIVER

GTB 650 Professional



Technical Specifications

HSN code	84672100
Part no.	06014A20F0
Power input	650 W
No-load speed	0-5,000 rpm
Torque, max.	12 Nm
Bit holder	1/4" internal hexagon
Weight	1.4 kg

Scope of supply:
Carry case

MRP: ₹13,700



BOSCH
Professional
5000 min¹/rpm
SOFT GRIP
Ø max. 6mm

IMPACT WRENCH

GDS 30 Professional



Technical Specifications

HSN code	84672100
Part no.	06014351F3
Power input	920 W
Torque max. (hard/soft)	1,000/500 Nm
Rated speed	860 rpm
Tool holder	1" Sq. Drive
Bolt diameter Max.	M 30
Weight	7.3 kg

Scope of supply:
Auxiliary handle,
Hanging loop

MRP: ₹1,60,500



HEAVY DUTY
SOFT GRIP

PAINT AND CEMENT PUTTY MIXER

New! GRW 140 Professional



Technical Specifications

HSN code	84798200
Part no.	06011C40F0
Power input	1,400W
No-load speed	480/750 rpm
Torque, max.	35/23 Nm
Tool holder	M14
Speed selection	2 speed
Soft start	Yes
Carbon brush	Yes
Weight	4.2 kg

Scope of supply:
1 X Stirrer Basket,
M14, 140 mm

MRP: ₹10,950



DRYWALL SANDER

GTR 550 Professional



Technical Specifications

HSN code	84672900
4 Part no.	06017D40F0
Power input	550 W
No-load speed	340-910 rpm
Sanding pad diameter	215 mm
Sanding sheet diameter	225 mm
Weight	4.8 kg

Scope of supply:
Carry case, 1 x soft pad set,
1 x sanding sheet,
3 x cable clip

MRP: ₹40,300



AERATED CONCRETE CUTTER

New! GAC 250 Professional



Technical Specifications

HSN Code	84672200
Part No.	06012B60F0
Power Input	1,200 W
No-load chain speed	max. 12 m/s
Chain bar length	335 mm
Max. cutting capacity	250 mm
Tool weight	4.7 kg

Scope of supply:
Carton box
1x Guide rail,
1x Saw chain,
1x Sprocket wheel, Protective cover

MRP: ₹22,300



Concrete Grinder

GBR 15 CAG Professional



Technical Specifications

HSN code	84672900
Part no.	06017760F0
Rated power input	1,500 W
No-load speed	9,300 rpm
Grinding spindle thread	M 14
Grinding head, diameter	125 mm
Weight	2.6 kg

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:
Clamp key, Carry case,
Diamond Grinding head 125 mm,
3 x replacement brush rings

MRP: ₹87,800





CARRYING CASES



CARRYING CASES

L-BOXX Mini 2.0 Professional

12



Technical Specifications

HSN code	39231090
Part number	1600A007SF
Material	PP
Maximum load	1.5 kg
Weight	0.3 kg

MRP: ₹1,450



CARRYING CASES

I-BOXX 53



Technical Specifications

HSN code	39231090
Part number	1600A001RV
Material	Plastic
Application	For use with L-Boxx 3D
Weight	0.81 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,200



CARRYING CASES

I-BOXX 72



Technical Specifications

HSN code	39231090
Part number	1600A001RW
Material	Plastic
Application	For use with L-Boxx-3D
Weight	0.87 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,100



CARRYING CASES

MEDIUM TOOL BAG



Technical Specifications

HSN code	42021990
Part number	1600A003BJ
Length	480 mm
Width	300 mm
Height	280 mm
Weight	1.5 kg

MRP: ₹3,800



CARRYING CASES

L-BOXX 102 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012FZ
Material	ABS
Suitable for	All types of Power Tools
Weight	1.8 kg



MRP: ₹4,400

CARRYING CASES

LARGE TOOL BAG - 55 x 35 x 35



Technical Specifications

HSN code	42021990
Part number	1600A003BK
Length	550 mm
Width	350 mm
Height	350 mm



MRP: ₹4,400

CARRYING CASES

L-BOXX 136 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G0
Material	ABS
Application	For use with L-Boxx-3D
Weight	2.2 kg



MRP: ₹4,500

CARRYING CASES

L-BOXX 238 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G2
Material	ABS
Weight	2.8 kg



MRP: ₹6,150

STORAGE BOXES

LT-BOXX 170 Professional



Technical Specifications

HSN code	39231090
Part number	1600A00222
Material	ABS
Weight	2.3 kg

MRP: ₹6,950



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G3
Material	ABS
Suitable for	All types of Power Tools
Weight	3.0 kg

MRP: ₹8,200



STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

HSN code	39231090
Part number	1600A001RU
Material	ABS
Product Type	LS-BOXX Tool Storage
Weight	3.85 kg

MRP: ₹10,350



Symbols and their meaning.



Guide Rail
For precise cuts.



"Plus-clean" System
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable Cable



Handle



Carrying Case



Slim Grip
Slim Grip



Spindle Lock
Faster, easier disc tool changing.



High Torque



Adjustable Cutter Clearance
Screw to adjust the cutter clearance according to sheet thickness.



L-BOXX
Intelligent system for transport and storage.



2 in 1 Dual Tool Holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus Tool Holder
Optimum power transfer. For Rotary Hammers in the 2Kg; 4kg class.



SDS-max Tool Holder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload Clutch



Forward/Reverse Rotation
For inserting and removing screws.



Lithium-ion Technology
No self-discharge. No memory effect.



Anti-rotation Protective Guard
Stands firm, even if the disc breaks.



Brake System
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart Protection
Prevents the tool from automatically starting up after a power cut.



Dust Extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct Cooling
For high overload capability and a long service life.



Starting Current Limitation
For a safe start.



Saw Blade Pendulum Action
Adjustable 3-stage or 4-stage saw blade pendulum action.



INOX
For a perfect finish on stainless steel



EASY-FIT
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine Depth Adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser Class 3R
Laser class for various measuring tools.



Laser Class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

Part Number	Category	Model Number	HSN Code	MRP ₹
CORDLESS				
06019H21L1	Screwdriver	Bosch GO 2 (Till stock last)	84672900	5,600
06019H2181	Screwdriver	Bosch GO 2.0 Kit (Till stock last)	84672900	6,100
06019H2281	Screwdriver	Bosch GO 3 Kit (New!)	84672900	6,800
06019K70L1	Drywall Screwdriver	GTB 185-LI (Solo)	84672900	14,600
06019C50K1	Rotary Tool	GRO 12V-35 (Solo)	84672900	8,900
06019G80F0	Drill Drivers	GSR 120-LI	84672100	12,900
06019G80F1	Drill Drivers	GSR 120 + 1x2.0Ah	84672100	8,100
06019F60F0	Drill Drivers	GSR 12V-15 FC	84672100	29,150
06019G9082	Drill Drivers	GSR12V-30 (Solo)	84672100	11,250
06019J9180	Drill Drivers	GSR 12V-35 HX (Solo)	84672100	12,900
06019K30F0	Drill Drivers	GSR 185-LI Kit	84672100	18,250
06019H50F0	Drill Drivers	GSR 18V-50 (Till Stock last)	84672100	28,300
06019H5082	Drill Drivers	GSR 18V-50 (Solo) (Till Stock last)	84672100	15,000
06019N30F2	Drill Drivers	GSR 18V-65 (Solo) (New!)	84672100	9,750
06019G81F2	Impact Drill Drivers	GSB 120-LI Kit	84672100	14,000
06019K91F0	Impact Drill Drivers	GSB 183-LI (2-Battery) Kit (New!)	84672100	16,350
06019K91F1	Impact Drill Drivers	GSB 183-LI (1-Battery) Kit (New!)	84672100	12,250
06019K31F2	Impact Drill Drivers	GSB 185-LI Kit	84672100	20,200
06019J51L0	Impact Drill Drivers	GSB 18V-150 C (Solo)	84672100	31,850
06019N31F2	Impact Drill Drivers	GSB 18V-65, (Solo) (New!)	84672100	10,200
06019N31F0	Impact Drill Drivers	GSB 18V-65 Kit (New!)	84672100	22,350
06019F00F0	Impact Driver	GDR 120-LI Kit	84672100	17,650
06019E00F6	Impact Driver	GDR 12 V-EC	84672100	29,600
06019G51F0	Impact Driver	GDR 180-LI (Till stock last)	84672100	31,150
06019L60L0	Impact Driver	GDR 18V- 220 C (Solo) (New!)	84672100	15,980
06019N20F2	Impact Driver	GDR 18V-215 (New!)	84672100	18,500
06019G42F0	Impact Wrench	GDX 18V-200 C (Till stock last)	84672900	41,200
06019N21F2	Impact Wrench	GDX 18V-285 (New!)	84672900	32,000
06019N21L0	Impact Wrench	GDX 18V-285 (Solo) (New!)	84672900	XX,XXX
06019J23F0	Impact Wrench	GDS 18V-200	84672100	37,000
06019M50F1	Impact Wrench	GDS 18V-350 (New!)	84672100	25,000
06019K00F0	Impact Wrench	GDS 18V-400	84672100	51,000
06019K00K1	Impact Wrench	GDS 18V-400 (Solo)	84672100	20,200
06019J85F0	Impact Wrench	GDS 18V-1050 H	84672100	66,800
06019J85L1	Impact Wrench	GDS 18V-1050 H (Solo)	84672100	33,700
06019M1080	Impact Wrench	GDS 18V-1600 HC (Solo) (New!)	84672100	41,000
06019N8080	Ratchet Wrench	GRC 18V-60 (Solo) (Coming Soon)	XXXXXXXX	XX,XXX
0611927080	Rotary Hammers 1-2KG	GBH 18V-18 (Coming Soon)	84672100	XX,XXX
06119240F0	Rotary Hammers 1-2KG	GBH 185-LI	84672100	45,300
1600A02BW0	Dust Extractor	GDE 12 Dust Extractor - for GBH 185	85081100	8,250
06119241J0	Rotary Hammers 1-2KG	GBH 18V-22 X One Chuck (Coming Soon)	84672100	XX,XXX
0611914082	Rotary Hammers 1-2KG	GBH 18V-34 CF (Solo)	84672100	86,850
06019H90F0	Small Angle Grinder	GWS 180-LI (100mm Kit)(2B+1C) (Till stock last)	84672900	40,300
06019H90K0	Small Angle Grinder	GWS 180-LI (100mm) (Solo) (Till stock last)	84672900	17,050
06019N90F0	Small Angle Grinder	GWS 18V-8 (100mm Kit) (New!)	84672900	31,100
06019N90K0	Small Angle Grinder	GWS 18V-8 (100mm) (Solo) (New!)	84672900	12,650
06019J40F0	Small Angle Grinder	GWS 18V-10 (100mm Kit)(2B+1C) (Till stock last)	84672900	48,700
06019J4002	Small Angle Grinder	GWS 18V-10 (125mm) (Solo) (Till stock last)	84672900	22,250
06019N40F1	Small Angle Grinder	GWS 18V-11 S (100mm Kit) (New!)	84672900	36,000
06019M6000	Small Angle Grinder	GWS 18V-15 S (125mm) (Solo) (New!)	84672900	22,450
06019H91K0	Small Angle Grinder	GWX 180-LI (100mm Solo) (Till stock last)	84672900	19,100
06019F51L0	Blower / Leaf vacuum	GBL 18V-120 (Solo)	84145920	10,200
06019C62L0	Vacuum cleaners	GAS 18V-1 (Solo)	85081100	10,200
06016C12L1	Circular Saws	GKS 185-LI (Solo)	84672200	20,200
06015B5080	Planers	GHO 185-LI (Solo) (New!)	84672900	17,250
06015B30L3	Jigsaws	GST 185-LI (Solo)	84672200	16,050
06013A5080	Random Orbit Sanders	GEX 185-LI (Solo)	84672900	10,750
06016A5080	All purpose/Recipsaw	GSA 18V-LI C compact (Solo) (Till Stcok last)	84672200	29,400
06016C00L0	All purpose/Recipsaw	GSA 185-LI (Solo)	84672200	21,950
06019K5080	Rivet Gun	GRG 18V-16 C (Solo)	84672900	81,200

Part Number	Category	Model Number	HSN Code	MRP ₹
BATTERY				
1600A00F6X	Battery-Packs	GBA 12V 2.0Ah	85076000	3,400
1600A001CG	Battery-Packs	GBA 18V 2.0Ah	85076000	5,250
1600A00163	Battery-Packs	GBA 18V 4.0Ah	85076000	7,150
1600A001Z9	Battery-Packs	GBA 18V 5.0Ah	85076000	9,600
1600A0193L	Battery-Packs	ProCore 4.0Ah battery (18V)	85076000	12,000
1600A0193N	Battery-Packs	ProCore 8.0Ah battery (18V)	85076000	19,450
1600A021L7	Chargers	GAL 12V-20	85044030	3,275
1600A022V0	Chargers	GAL 12V-40	85044030	3,600
1600A022V1	Chargers	GAL 18V-40	85044030	4,600
1600A022V3	Battery-Packs	GAL 12V-40 + 2x GBA 12V 2.0Ah	85076000	10,100
1600A022V4	Battery-Packs	GAL 18V-40 + 2x GBA 18V 2.0Ah	85076000	14,900
1600A022V2	Battery-Packs	GAL 18V-40 + 2x GBA 18V 4.0Ah	85076000	18,650
SMALL ANGLE GRINDER				
060137505F	Small Angle Grinder	GWS 600	84672900	4,150
060137505M	Small Angle Grinder	GWS 600 + Carbon Brush (New!)	84672900	4,650
06013943F0	Small Angle Grinder	GWS 800	84672900	5,600
06013943F2	Small Angle Grinder	GWS 800 + 2 Cutting, 1 Grinding	84672900	5,600
06013943F1	Small Angle Grinder	GWS 800 + 1 Diamond Wheel (New!)	84672900	5,560
06013940F3	Small Angle Grinder	GWS 750-100	84672900	5,800
06013960F1	Small Angle Grinder	GWS 900-100	84672900	7,050
060137515A	Small Angle Grinder	GWS 6-125	84672900	6,200
06013961F0	Small Angle Grinder	GWS 900-125 S	84672900	9,200
06013A60F0	Small Angle Grinder	GWS 12-125 S	84672900	10,950
06018242F1	Small Angle Grinder	GWS 14-125 CI	84672900	13,300
06017C40F2	Small Angle Grinder	GWX 17-125 S	84672900	23,300
06017A30F1	Small Angle Grinder	GWS 18-125 L	84672900	23,600
06017D50F0	Small Angle Grinder	GWS 20 SB (Coming Soon)	XXXXXXXX	XX,XXX
LARGE ANGLE GRINDER				
06018C00F0	Large Angle Grinder	GWS 2200-180	84672900	14,300
06018C10F0	Large Angle Grinder	GWS 2200-230	84672900	15,650
06018C20F0	Large Angle Grinder	GWS 24-180	84672900	19,900
06018C30F0	Large Angle Grinder	GWS 24-230	84672900	21,800
06018C23F0	Large Angle Grinder	GWS 24-180 JZ	84672900	21,050
06018C33F0	Large Angle Grinder	GWS 24-230 JZ	84672900	23,000
06018C61F0	Large Angle Grinder	GWS 27-180 PR (New!)	84672900	23,560
06018C71F0	Large Angle Grinder	GWS 27-230 PR (New!)	84672900	24,500
06018G00F0	Large Angle Grinder	GWS 30-180 B	84672900	40,000
06018G10F0	Large Angle Grinder	GWS 30-230 B	84672900	43,150
METALWORKING				
06012240F0	Straight Grinder	GGG 3000 L	84672900	12,150
06012B50F0	Straight Grinder	GGG 30 LS	84672900	30,500
06012211F0	Straight Grinder	GGG 28 LCE (Till stock last)	84672900	32,300
060127A3F0	BT Grinders	GBG 35-15	84672900	15,450
060127A4F0	BT Grinders	GBG 60-20	84672900	24,650
0601B373F0	BT Chop-/Multicutsaw	GCO 220	84672200	19,400
0601B560F0	BT Chop-/Multicutsaw	GCO 230 (New!)	84672200	20,300
0601B371F0	BT Chop-/Multicutsaw	GCO 14-24	84672200	23,600
0601B372F0	BT Chop-/Multicutsaw	GCO 14-24 J	84672200	25,500
ROTARY & IMPACT DRILLS				
06011A95F1	Rotary Drills	GBM 350	84672100	3,700
06014775F0	Rotary Drills	GBM 13 RE	84672100	7,650
06011B00F1	Rotary Drills	GBM 1600 RE	84672100	17,850
06011B40F0	Rotary Drills	GBM 50-2	84672100	1,32,500
06012161FK	Impact Drills	GSB 450	84672100	4,350
06011A03F0	Impact Drills	GSB 600	84672100	4,700
06011A03F1	Impact Drills	GSB 600 (100 Pc Kit)	84672100	9,600
06011A03F2	Impact Drills	GSB 600 (Wrap Set Kit)	84672100	7,300
06012161F4	Impact Drills	GSB 10 RE KIT (100 Pc Kit)	84672100	9,100
06012161F8	Impact Drills	GSB 500 RE KIT (100 Pc Kit)	84672100	9,100
06012281F0	Impact Drills	GSB 16 RE	84672100	12,550
06011A21F1	Impact Drills	GSB 20-2 RE	84672100	19,000

Part Number	Category	Model Number	HSN Code	MRP ₹
ROTARY HAMMERS				
06112A60F0	Rotary Hammers 1-2KG	GBH 220	84672100	11,550
06112721F1	Rotary Hammers 1-2KG	GBH 2-24 DRE	84672100	17,550
0611251755	Rotary Hammers 1-2KG	GBH 2-26 RE	84672100	21,850
06112537F0	Rotary Hammers 1-2KG	GBH 2-26 DRE	84672100	23,600
06112671F0	Rotary Hammers 1-2KG	GBH 2-28 DV	84672100	26,350
06113321F0	Rotary Hammers 4KG	GBH 4-32 DFR	84672100	50,900
06112690F0	Rotary Hammers >=5KG	GBH 5-40 D	84672100	66,650
06112780F0	Rotary Hammers >=5KG	GBH 6-42 C (New!)	84672100	68,950
06112650F0	Rotary Hammers >=5KG	GBH 8-45 DV	84672100	1,21,850
06112660F0	Rotary Hammers >=5KG	GBH 12-52 DV	84672100	1,45,650
DEMOLITION HAMMERS				
06113386F1	Demolition Hammers	GSH 500 Hex	84672100	29,150
06113388F1	Demolition Hammers	GSH 5 HX (Coming Soon)	84672100	xx,xxx
06113387F0	Demolition Hammers	GSH 500 Max	84672100	36,750
06113370F0	Demolition Hammers	GSH 5	84672100	50,000
06113168F2	Demolition Hammers	GSH 11 E	84672100	64,050
06113360F0	Breakers	GSH 11 VC	84672100	1,13,650
06113440F0	Breakers	GSH 14 C	84672100	1,06,500
06113351F0	Breakers	GSH 16-30	84672100	1,57,700
061130A0F0	Breakers	GSH 27 VC	84672100	3,13,050
DIAMOND/STONE CUTTER				
06013930F1	Diamond/Stone Cutter	GDC 120 (Till stock last)	84672900	6,300
06013A40F1	Diamond/Stone Cutter	GDC 140	84672900	6,650
06013A41F0	Diamond/Stone Cutter	GDC 141	84672900	7,800
WOODWORKING				
06016C30F0	Circular Saws	GKS 130	84672200	12,000
06016230F1	Circular Saws	GKS 190	84672200	16,950
06015A20F0	Circular Saws	GKS 235 Turbo	84672200	22,250
0601B520F0	Mitersaw	GCM 254	84659100	32,150
0601B600F0	Mitersaw	GCM 340-305 D (Coming Soon)	84659100	XX,XXX
0601B450F0	Table Saws	GTS 254	84672200	37,100
0601B305F0	Table Saws	GTS 10 J (Till stock last)	84672200	1,07,850
06015B40F0	Planers	GST 680	84672200	6,250
060158F0F0	Planers	GST 90	84672200	22,550
06015960F0	Planers	GHO 6500	84672900	12,350
06015962F0	Planers	GHO 16-82 (Coming Soon)	84672900	XX,XX
XXXXXXXXXX	Random Orbit Sanders	GHO 10-82 (Coming Soon)	84672900	XX,XXX
06015A40F0	Random Orbit Sanders	GHO 26-82 D	84672900	17,750
06013A80F0	Random Orbit Sanders	GEX 125	84672900	7,500
06013875F2	Orbital Sanders	GEX 125-1 AE	84672900	11,250
06013728F0	Orbital Sanders	GEX 34-150	84672900	24,150
06012A80F1	Jigsaws	GSS 140	84672900	4,900
06012980F0	Jigsaws	GSS 2300	84672900	9,600
06016A00F0	Routers	GKF 550	84672900	9,100
06016B70F0	Routers	GOF 130	84672900	16,450
SPECIALITY TOOLS				
06016B10F0	All Purpose/recipsaw	GSA 120 (Till stock last)	84672200	21,050
06016C70F0	All Purpose/recipsaw	GSA 12-30 (Coming Soon)	84672200	XX,XXX
060164E2F0	All Purpose/recipsaw	GSA 1300 PCE	84672200	28,450
06019M40F0	Blower	GBL 650 (New!)	84145920	4,800
06019804F5	Blower	GBL 82-270	85081100	8,250
06019E51F0	Vacuum Cleaners	GAS 15 PS	85081100	23,600
060197C0F0	Vacuum Cleaners	GAS 12-25	85081100	27,650
06019M00F0	Vacuum Cleaners	GAS 400 A (New!)	85081100	59,850
06019C33F0	Vacuum Cleaners	GAS 55 M AFC	85081100	1,41,300
060194D0F0	Heat Guns	GHG 180	84672900	4,400
06012A62F0	Heat Guns	GHG 20-63	84672900	12,500
06012A64F0	Heat Guns	GHG 20-60	84672900	14,150

Part Number	Category	Model Number	HSN Code	MRP ₹
-------------	----------	--------------	----------	-------

SPECIALITY TOOLS

06013A20F0	Metal Surface Finish	GPO 950	84672900	13,200
06013A23F0	Metal Surface Finish	GPO 11-180 S (Coming Soon)	84672900	XX,XXX
06013890F1	Metal Surface Finish	GPO 12 CE Promo	84672900	21,150
06014A20F0	Screwdriver	GTB 650	84672100	13,700
06014351F3	Impact Wrench	GDS 30	84672100	1,60,500
06011C40F0	Mixer	GRW 140 (New!)	84798200	10,950
06017D40F0	Drywall Sander	GTR 550	84672900	40,300
06012B60F0	Aerated Concrete Cutter	GAC 250	84672200	22,300
06017760F0	Concrete Grinder	GBR 15 CAG	84672900	87,800

STORAGE SOLUTIONS

1600A007SF	Carrying Cases	L-BOXX Mini 2.0	39231090	1,450
1600A001RV	Carrying Cases	I-BOXX 53	39231090	3,200
1600A001RW	Carrying Cases	I-BOXX 72	39231090	3,100
1600A003BJ	Carrying Cases	Medium Tool bag	42021990	3,800
1600A012FZ	Carrying Cases	L-BOXX 102	39231090	4,400
1600A003BK	Carrying Cases	Large Tool Bag	42021990	4,400
1600A012G0	Carrying Cases	L-BOXX 136	39231090	4,500
1600A012G2	Carrying Cases	L-BOXX 238	39231090	6,150
1600A00222	Carrying Cases	LT-BOXX 170	39231090	6,950
1600A012G3	Carrying Cases	L-BOXX 374	39231090	8,200
1600A001RU	Carrying Cases	L-BOXX 306	39231090	10,350

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all materials and manufacturing defects for a period of 1 year from the date of purchase. In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that:

- ▶ The Power Tool has not been tampered with.
- ▶ The failure has occurred due to manufacturing/material defects.
- ▶ The Power Tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the Power Tool, guarantee card and original tool purchase receipt or invoice.

This warranty does not cover:

- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.



BEWARE OF FAKES!

Ensure your tool is genuine by scanning the QR code on the product box.

STEPS:



Locate the QR code on both the product and the box.



Scan the code to access the Beconnected app.
Download the app if it's not yet installed.



Verify tool details in the app.



If details are missing, contact your ASM for help
or Tollfree number: 1800 425 8665



Stay safe and verify your purchase

BeConnected CHECK IF YOUR PRODUCT IS ORIGINAL OR DUPLICATE


Before you invest in any tools, make sure they are authentic. Use  **BeConnected** to check the legitimacy of your products and avoid fake items.




GWS Professional



GWS 800 Professional





Bosch Limited, Power Tools Division
Post Box No. 3000, Hosur Road, Adugodi, Bangalore
Karnataka- 560030

 www.facebook.com/BoschPTIndia

 [Bosch Professional India - YouTube](#)

**Scan to view the
Live Catalogue**



Customer Contact Center
1800 425 8665

Email: bpt@in.bosch.com
www.bosch-pt.co.in

Edition: March 2025